

***DENTOTOX***

***VADE MECUM***

**Guna s.r.l.**

Via Palmanova, 71 – 20132 MILAN

Tel: 02.28018.1 – Fax: 02.2822234

Internet: [www.guna.it](http://www.guna.it) - email: [info@guna.it](mailto:info@guna.it)

Members of the Guna Laboratories are available to answer questions, and to provide further information and scientific documentation.

© Copyright 1992, Bioresearch Group N.V.

*All rights reserved. No part of this publication may be reproduced by any means without the prior permission of the publisher.*

# ***INDEX***

## **INTRODUCTION**

## **DENTOTOX REMEDIES**

### **CLASSIFICATION OF DENTOTOX REMEDIES**

Detoxification

Pre-operative therapy

Post-operative therapy

Deep detoxification of xeno-molecular material

General and preventive therapy

### **THERAPEUTIC USES**

#### **Pre-operative therapy**

Prior to removal of amalgam fillings

Prior to the removal of dental porcelain and composites

Prior to root canal treatment

Prior to operations on or cleaning of the sinuses

Prior to the use of x-ray

#### **Post-operative therapy**

After the removal of amalgam fillings

After the removal of dental porcelain and composites

After root canal treatment

After operations on the sinuses

After exposure to x-rays

### **DESCRIPTION OF DENTOTOX REMEDIES**

- **Dentotox No. 1**      Amalgam I
- **Dentotox No. 2**      Amalgam II
- **Dentotox No. 3**      Pre-amalgam
- **Dentotox No. 4**      Dental drainage
- **Dentotox No. 5**      Composites
- **Dentotox No. 6**      Dental Porcelain
- **Dentotox No. 7**      Anaesthesia
- **Dentotox No. 8**      Infections
- **Dentotox No. 9**      Gingiva
- **Dentotox No. 10**      Fluorine
- **Dentotox No. 11**      Nervocalm
- **Dentotox No. 12**      Dental Cement
- **Dentotox No. 13**      Root canal
- **Dentotox No. 14**      Radiation
- **Dentotox No. 15**      Pre-operative
- **Dentotox No. 16**      Post-operative

## **BIBLIOGRAPHY**

## *INTRODUCTION*

The weakening of the immune system is the scourge of the '90s and this will probably continue into the next century too. It is therefore important that we find a more long-term solution to the use of all types of xeno-molecular material that we carry in our biological systems.

The more well-known of these are organ transplants, artificial heart valves and hip prostheses. However, the most common place for the use of xeno-molecular material is in dental surgery. Numerous studies have been published in the last two years on amalgams and the immune suppression they cause.

In our outpatients' clinic, we come across increasing numbers of patients who are difficult to treat and appear to be resistant to the treatments – many of them have had extensive dental treatments. Sometimes they don't show great signs of improvement even after the amalgam fillings have been removed and at times the situation seems to worsen straightaway.

There may be several reasons for this:

1. The mercury should actually be drained from the body and it is not sufficient simply to remove the amalgam filling
2. there are other causes that need treating
3. The material from which the new filling is made causes bioenergetic stress to the teeth and this is why the energy system linked with the teeth is not able to rebalance itself.
4. The diagnosis was incorrect - amalgam load was a secondary cause and the disorder was due to renal insufficiency etc.
5. problems with occlusion, TMA and root canals

If one tests the various dental materials, one encounters more reactions with patients who present with chronic disorders than healthy patients.



The remedies in the Dentotox range can be used by both dentists and other professions.

In addition to the applications outlined, we can identify numerous other fields of application based on homeopathic and isopathic principles and crossed reactions.

By crossed reactions, we mean that certain remedies can be used for patients with poisoning from totally different materials. For example, there is a crossed reaction between amalgam and lead. The same occurs with composites when there is high sensitivity to synthetic materials.

The Dentotox range comprises 16 remedies that are used on the basis of the clinical indications which will be outlined later on. The remedies can also be combined in different ways.

They can also be prescribed as a preparation for dental surgery and can be used as specific tests such as EAV, the Vegatest (VRT), BFD (Biofunctional Diagnosis), Kinesiology and other types of test.

Hypersensitivity to Dentotox remedies is rare. However, with patients who are extremely allergic, it is advisable to proceed with caution when introducing the therapy and gradually increase the frequency and dosage.

## ***THE DENTOTOX REMEDIES***

The Dentotox range comprises the following remedies:

- Dentotox 1 Amalgam I
- Dentotox 2 Amalgam II
- Dentotox 3 Pre-amalgam
- Dentotox 4 Dental drainage
- Dentotox 5 Composites
- Dentotox 6 Dental porcelain
- Dentotox 7 Anaesthesia
- Dentotox 8 Infections
- Dentotox 9 Gingiva
- Dentotox 10 Fluorine
- Dentotox 11 Nervocalm
- Dentotox 12 Dental Cement
- Dentotox 13 Root canal
- Dentotox 14 Radiation
- Dentotox 15 Pre-operative
- Dentotox 16 Post-operative

The remedies come in 30 ml bottles, in 30% alcohol solution.

They are a combination of dental isopathic preparations and homeopathic remedies, gemmotherapies and, in some cases, organotherapies and cellular salts. All the isopathic preparations are graded according to potency. As a result of these and the reduction in dental toxic level, optimum therapeutic results can be obtained with these remedies.

## ***CLASSIFICATION OF DENTOTOX REMEDIES***

The Dentotox range was formulated to provide support in the following situations:

### **Detoxification**

To speed up the dental material detoxification process:

Dentotox 1-2	Amalgam I-II	-detoxification from amalgam
Dentotox 4	Dental drainage	-after use of amalgam, composites, dental Porcelain
Dentotox 5	Composites	-detoxification from composites
Dentotox 6	Dental porcelain	-detoxification from dental porcelain
Dentotox 7	Anaesthesia	-drainage of anaesthetic material
Dentotox 10	Fluorine	-detoxification from fluorine
Dentotox 12	Dental cement	-detoxification from dental cement
Dentotox 13	Root canal	-detoxification of root canals

### **Pre-operative therapy**

To prepare the body for dental operations and the xeno-molecular materials to which it will be exposed such as: metals, anaesthesia, composites, dental porcelain, fluorine, dental cement and radiation. The following remedies can be used for any of the above:

Dentotox 3	Pre-amalgam	-Preparation for amalgam
Dentotox 5	Composites	-Preparation for composites
Dentotox 6	Dental porcelain	-Preparation for dental porcelain
Dentotox 7	Anaesthesia	-Preparation for anaesthesia
Dentotox 10	Fluorine	-Preparation for fluorine
Dentotox 11	Nervocalm	-Mental preparation
Dentotox 12	Dental cement	-Preparation for dental cement
Dentotox 13	Root canal	-Preparation for root canals
Dentotox 14	Radiation	-Preparation for the use of x-ray
Dentotox 15	Pre-operative	-Pre-operative preparation

## Post-operative therapy

Immediately after an operation, the body is in a state of maximum stress. It is therefore extremely important to treat this, particularly when dealing with patients who are debilitated by chronic diseases.

Dentotox 1	Amalgam I	-after treatment with amalgam
Dentotox 4	Dental drainage	-for effective drainage of amalgam, composites and dental porcelain, via the kidneys
Dentotox 5	Composites	-after treatment with composites
Dentotox 6	Dental porcelain	-after treatment with dental porcelain
Dentotox 7	Anaesthesia	-after treatment with anaesthesia
Dentotox 8	Infections	-prevention of infections
Dentotox 10	Fluorine	-preparation for fluorine
Dentotox 12	Dental cement	-after treatment with dental cement
Dentotox 13	Root canal	-after root canal treatment
Dentotox 14	Radiation	-after treatment with radiation
Dentotox 16	Post-operative	-post-operative after treatment

## Deep detoxification of xeno-molecular material

The first stage involves the detoxification of xeno-molecular material (approximately 4-6 weeks) and the second stage is aimed at eliminating waste. For this purpose, the dosage becomes less frequent and is instead based on the effect of high dilutions.

Dosage:	15 drops, 3 times a day = effect of low dilutions (1 <sup>st</sup> month)
Dosage:	10 drops, once a day = effect of average dilutions (2 <sup>nd</sup> month)
Dosage:	Twice a week = effect of high dilutions (3 <sup>rd</sup> month)

Dentotox 2	Amalgam II	-amalgam via deep detoxification
Dentotox 5	Composites	-composites via deep detoxification
Dentotox 6	Dental porcelain	-dental porcelain via deep detoxification
Dentotox 10	Fluorine	-fluorine via deep detoxification
Dentotox 13	Root canal	-root canal via deep detoxification

## General and preventive therapy

To keep the body healthy, it is vital that the immune system is operating as effectively as possible. The following group of remedies should be regarded as an extra support for the immune system in patients with amalgam toxicity:

- **Dentotox 3** Pre-amalgam. This acts as an antidote and serves to strengthen the immune system, in all cases where amalgam has not been completely removed or the patient has decided not to carry out full removal of amalgam.



- **Dentotox 4** Dental drainage. For draining heavy metals via the kidneys in all cases where amalgam has not been completely removed or the patient has decided not to undergo full removal of amalgam.
- **Dentotox 8** Infections. For all acute and chronic inflammations and as a preparation for traumatic operations.
- **Dentotox 9** Gingiva. To strengthen the gingiva (paradontal disorders, gingivitis).
- **Dentotox 10** Fluorine. As protection against the effects of drinking water containing fluorine and for strengthening the teeth and bones.
- **Dentotox 11** Nervocalm. For anxiety, agitation and stress.

## ***THERAPEUTIC USES***

### ***Pre-operative therapy***

The general situation of the patient is determined according to the length of time before the operation that the treatment can start. Patients are subdivided into three groups:

#### **Group 1**

Strong or normal immune system.  
These patients go to the doctor's without specific disorders.

#### **Group 2**

Relatively weak immune system: the patient suffers from disorders but they are not serious. These patients have recently received pharmacological or alternative treatment for one or more chronic disorders or are still undergoing therapy.

#### **Group 3**

Extremely weak immune system: chronic disorders.  
These patients are often ill and often visit doctors and therapists, generally without achieving lasting results.

### **Prior to the removal of an amalgam filling**

#### **Group 1**

Strong or normal immune system; the patient is rarely ill and begins therapy approximately two weeks prior to removal using this scheme:

- **Dentotox 3** Pre-Amalgam 15 drops, 3 times a day
- **Dentotox 4** Dental drainage 15 drops, 3 times a day
- **Dentotox 15** Pre-operative 15 drops, 3 times a day

If the patient is extremely nervous administer the following three days before the operation:

- **Dentotox 11** Nervocalm 15 drops, 3 times a day

If the patient is allergic or hypersensitive to anaesthesia:

- **Dentotox 7** Anaesthesia 15 drops, once a day from 4 weeks prior to the operation

If composites are being used as a replacement:

- **Dentotox 5** Composites 15 drops, once a day from 2 weeks prior to the operation

If dental porcelain is being used as a replacement:

- **Dentotox 6** Dental porcelain 15 drops, once a day from 2 weeks prior to the operation

## Group 2

Relatively weak immune system; presents with disorders but they are not serious.

Begin treatment at least 4 weeks prior to the operation using:

- **Dentotox 3** Pre-Amalgam 10 drops, 3 times a day
- **Dentotox 4** Dental drainage 10 drops, 3 times a day
- **Dentotox 15** Pre-operative 10 drops, 3 times a day

When the patient is extremely nervous, administer the following from 7 days before the operation:

- **Dentotox 11** Nervocalm 15 drops, 3 times a day

If the patient is allergic or hypersensitive to anaesthesia:

- **Dentotox 7** Anaesthesia 10 drops, twice a day from 4 weeks beforehand

If composites are being used as a replacement:

- **Dentotox 5** Composites 15 drops, twice a day from 4 weeks beforehand

If dental porcelain is being used as a replacement:

- **Dentotox 6** Dental porcelain 15 drops, twice a day from 4 weeks beforehand

## Group 3

Extremely weak immune system; chronic disorders – begin treatment at least 8 weeks prior to the operation using:

- **Dentotox 3** Pre-Amalgam 8 drops, 3 times a day
- **Dentotox 4** Dental drainage 8 drops, 3 times a day
- **Dentotox 15** Pre-operative 8 drops, 3 times a day

When the patient is extremely nervous, administer the following from 14 days prior to the operation:

- **Dentotox 11** Nervocalm 15 drops, 3 times a day

If the patient is allergic or hypersensitive to anaesthesia:

- **Dentotox 7** Anaesthesia 10 drops, 3 times a day from 8 weeks beforehand

If composites are being used as a replacement:

- **Dentotox 5** Composites 8 drops, 3 times a day from 8 weeks before the operation

If dental porcelain is being used as a replacement:

- **Dentotox 6** Dental porcelain 8 drops, 3 times a day from 8 weeks before the operation

## **Prior to the removal of dental porcelain or composites**

### **Group 1**

Strong or normal immune system: the patient is rarely ill – begin treatment a week prior to removal using:

- **Dentotox 5** Composites 15 drops, 3 times a day  
(or 6 – dental porcelain)
- **Dentotox 4** Dental drainage 15 drops, 3 times a day
- **Dentotox 15** Pre-operative 15 drops, 3 times a day

### **Group 2**

Relatively weak immune system: the patient presents with disorders which are not serious – begin treatment at least 2 weeks prior to removal using:

- **Dentotox 5** Composites 10 drops, 3 times a day  
(or 6 – dental porcelain)
- **Dentotox 4** Dental drainage 10 drops, 3 times a day
- **Dentotox 15** Pre-operative 10 drops, 3 times a day

### **Group 3**

Extremely weak immune system: chronic disorders – begin treatment at least 4 weeks prior to removal using:

- **Dentotox 5** Composites 8 drops, 3 times a day  
(or 6 – dental porcelain)
- **Dentotox 4** Dental drainage 8 drops, 3 times a day
- **Dentotox 15** Pre-operative 8 drops, 3 times a day

## **Prior to root canal treatment**

Begin with a combination of the following remedies:

### **1. *Dentotox 7 Anaesthesia***

- Group 1: 1 week before 15 drops, 3 times a day
- Group 2: 2 weeks before 10 drops, 3 times a day
- Group 3: 4 weeks before 8 drops, 3 times a day

### **2. *Dentotox 13 Root canal***

- Group 1: 1 week before 15 drops, 3 times a day
- Group 2: 2 weeks before 10 drops, 3 times a day

- Group 3: 4 weeks before 8 drops, 3 times a day

**3. *Dentotox 15 Pre-operative***

- Group 1: 1 week before 15 drops, 3 times a day
- Group 2: 2 weeks before 10 drops, 3 times a day
- Group 3: 4 weeks before 8 drops, 3 times a day

**Prior to operations on the sinuses or sinus lavage**

Begin with a combination of the following remedies:

**1. *Dentotox 7 Anaesthesia***

- Group 1: 1 week before 15 drops, 3 times a day
- Group 2: 2 weeks before 10 drops, 3 times a day
- Group 3: 4 weeks before 8 drops, 3 times a day

**2. *Dentotox 15 Pre-operative***

- Group 1: 1 week before 15 drops, 3 times a day
- Group 2: 2 weeks before 10 drops, 3 times a day
- Group 3: 4 weeks before 8 drops, 3 times a day

**Prior to the use of x-ray**

Begin treatment 2 weeks before exposure to radiation using a combination of the following remedies:

- **Dentotox 14** Radiation 15 drops, 3 times a day
- **Dentotox 8** Infections 15 drops, 3 times a day

Treatment can be supplemented with antioxidants (Vitamin E, Vitamin C, Betacarotene).

## ***Post-operative Therapy***

### **After the removal of amalgam**

#### **Group 1**

Begin treatment immediately after the operation using a combination of the following remedies:

(This therapy is expected to last 24 weeks.)

#### ***Stage 1 (duration: 2 weeks)***

- **Dentotox 1**            Amalgam I            15 drops, 6 times a day
- + **Dentotox 4**            Dental drainage       15 drops, 6 times a day
- + **Dentotox 7**            Anaesthesia           15 drops, 6 times a day

If composites are used as a replacement:

- + **Dentotox 5**            Composites            15 drops, 6 times a day

If dental porcelain is used as a replacement:

- + **Dentotox 6**            Dental porcelain       15 drops, 6 times a day

#### ***Stage 2 (duration: 6 weeks)***

- **Dentotox 2**            Amalgam II            10 drops, twice a day
- + **Dentotox 4**            Dental drainage       10 drops, 3 times a day

If composites are used as a replacement:

- + **Dentotox 5**            Composites            10 drops, twice a day

If dental porcelain is used as a replacement:

- + **Dentotox 6**            Dental porcelain       10 drops, twice a day

#### ***Stage 3 (duration: 4 weeks)***

- **Dentotox 2**            Amalgam II            10 drops, once a day
- + **Dentotox 4**            Dental drainage       10 drops, 3 times a day

If composites are used as a replacement:

- + **Dentotox 5**            Composites            10 drops, once a day

If dental porcelain is used as a replacement:

- + **Dentotox 6**            Dental porcelain       10 drops, once a day
- + **Endotox 6**            Brain                    10 drops, 3 times a day

(for a description of this remedy please refer to the Endotox Handbook)

**Stage 4 (duration: 4 weeks)**

- **Dentotox 2** Amalgam I 10 drops, once a day
- + **Dentotox 4** Dental drainage 10 drops, 3 times a day

If composites are used as a replacement:

- + **Dentotox 5** Composites 10 drops, once a day

If dental porcelain is used as a replacement:

- + **Dentotox 6** Dental porcelain 10 drops, once a day
- + **Endotox 6** Brain 10 drops, once a day

**Stage 5 (duration: at least 2 months)**

- **Dentotox 2** Amalgam II 20 drops, once a day
- + **Dentotox 4** Dental drainage 5 drops, 3 times a day

If composites are used as a replacement:

- + **Dentotox 5** Composites 20 drops, once a day

If dental porcelain is used as a replacement:

- + **Dentotox 6** Dental porcelain 20 drops, once a day
- + **Endotox 6** Brain 5 drops, once a day

**After the removal of amalgam, for patients with moderate levels of disorder**

**Group 2**

Begin treatment immediately after the operation using a combination of the following remedies:

(This therapy is expected to last 26 weeks.)

**Stage 1 (duration: 4 weeks)**

- **Dentotox 1** Amalgam I 15 drops, 3 times a day
- + **Dentotox 4** Dental drainage 15 drops, 3 times a day
- + **Dentotox 7** Anaesthesia 15 drops, 3 times a day

If composites are used as a replacement:

- + **Dentotox 5** Composites 15 drops, 3 times a day

If dental porcelain is used as a replacement:

- + **Dentotox 6** Dental porcelain 15 drops, twice a day

**Stage 2 (duration: 6 weeks)**

- **Dentotox 2** Amalgam II 10 drops, twice a day
- + **Dentotox 4** Dental drainage 10 drops, 3 times a day

If composites are used as a replacement:

- + **Dentotox 5** Composites 10 drops, twice a day

If dental porcelain is used as a replacement:

- + **Dentotox 6** Dental porcelain 10 drops, twice a day

**Stage 3 (duration: 4 weeks)**

- **Dentotox 2** Amalgam II 10 drops, once a day
- + **Dentotox 4** Dental drainage 10 drops, 3 times a day

If composites are used as a replacement:

- + **Dentotox 5** Composites 10 drops, once a day

If dental porcelain is used as a replacement:

- + **Dentotox 6** Dental porcelain 10 drops, once a day
  - + **Endotox 6** Brain 10 drops, 3 times a day
- (for a description of this remedy please refer to the Endotox Handbook)

**Stage 4 (duration: 4 weeks)**

- **Dentotox 2** Amalgam II 10 drops, once a day
- + **Dentotox 4** Dental drainage 10 drops, 3 times a day

If composites are used as a replacement:

- + **Dentotox 5** Composites 10 drops, once a day

If dental porcelain is used as a replacement:

- + **Dentotox 6** Dental porcelain 10 drops, once a day
- + **Endotox 6** Brain 10 drops, once a day

**Stage 5 (duration: at least 2 months)**

- **Dentotox 2** Amalgam II 20 drops, once a day
- + **Dentotox 4** Dental drainage 5 drops, 3 times a day

If composites are used as a replacement:

- + **Dentotox 5** Composites 20 drops, once a day

If dental porcelain is used as a replacement:

- + **Dentotox 6** Dental porcelain 20 drops, once a day
- + **Endotox 6** Brain 5 drops, once a day

Intensive treatment ensures deep removal of amalgam and its metabolites.



## After removal of amalgam, for patients with chronic disorders

### Group 3

Extremely weak immune system: chronic disorders. See Pre-operative therapy as well (very important!). On the day of the operation, administer the following every hour:

- |                     |                  |                   |
|---------------------|------------------|-------------------|
| ■ <b>Dentotox 8</b> | Infections,      |                   |
| + <b>Dentotox 4</b> | Dental drainage, |                   |
| + <b>Dentotox 1</b> | Amalgam I:       | 10 drops of each. |

On the second day, 10 drops of each remedy every other hour.

The patient must drink plenty of water (at least 2-3 litres a day).

Two days after the operation, begin treating with a combination of the following remedies. The therapy should last 30 weeks.

### *Stage 1 (duration: 8 weeks)*

- |                      |                 |                         |
|----------------------|-----------------|-------------------------|
| ■ <b>Dentotox 1</b>  | Amalgam I       | 8 drops, twice a day    |
| + <b>Dentotox 4</b>  | Dental drainage | 15 drops, 3 times a day |
| + <b>Dentotox 16</b> | Post-operative  | 8 drops, 3 times a day  |
| + <b>Dentotox 7</b>  | Anaesthesia     | 8 drops, 3 times a day  |

If composites are used as a replacement:

- |                     |            |                       |
|---------------------|------------|-----------------------|
| + <b>Dentotox 5</b> | Composites | 10 drops, twice a day |
|---------------------|------------|-----------------------|

If dental porcelain is used as a replacement:

- |                     |                  |                       |
|---------------------|------------------|-----------------------|
| + <b>Dentotox 6</b> | Dental porcelain | 10 drops, twice a day |
|---------------------|------------------|-----------------------|

### *Stage 2 (duration: 6 weeks)*

- |                     |                 |                         |
|---------------------|-----------------|-------------------------|
| ■ <b>Dentotox 2</b> | Amalgam II      | 10 drops, twice a day   |
| + <b>Dentotox 4</b> | Dental drainage | 10 drops, 3 times a day |

If composites are used as a replacement:

- |                     |            |                       |
|---------------------|------------|-----------------------|
| + <b>Dentotox 5</b> | Composites | 10 drops, twice a day |
|---------------------|------------|-----------------------|

If dental porcelain is used as a replacement:

- |                     |                  |                       |
|---------------------|------------------|-----------------------|
| + <b>Dentotox 6</b> | Dental porcelain | 10 drops, twice a day |
|---------------------|------------------|-----------------------|

**Stage 3 (duration: 4 weeks)**

- **Dentotox 2** Amalgam II 10 drops, once a day
- + **Dentotox 4** Dental drainage 10 drops, 3 times a day

If composites are used as a replacement:

- + **Dentotox 5** Composites 10 drops, once a day

If dental porcelain is used as a replacement:

- + **Dentotox 6** Dental porcelain 10 drops, once a day
- + **Endotox 6** Brain 10 drops, 3 times a day

(for a description of this remedy, see the Endotox Handbook)

**Stage 4 (duration: 4 weeks)**

- **Dentotox 2** Amalgam II 10 drops, once a day
- + **Dentotox 4** Dental drainage 10 drops, 3 times a day

If composites are used as a replacement, on alternate days use:

- + **Dentotox 5** Composites 10 drops, once a day

If dental porcelain is used as a replacement, on alternate days use:

- + **Dentotox 6** Dental porcelain 10 drops, once a day
- + **Endotox 6** Brain 10 drops, once a day

**Stage 5 (duration: at least 2 months)**

- **Dentotox 2** Amalgam II 20 drops, once a day
- + **Dentotox 4** Dental drainage 5 drops, 3 times a day

If composites are used as a replacement:

- + **Dentotox 5** Composites 20 drops, once a day

If dental porcelain is used as a replacement:

- + **Dentotox 6** Dental porcelain 20 drops, once a day
- + **Endotox 6** Brain 5 drops, once a day

**After removal of dental porcelain or composites**

(For further details, see section entitled “After removal of amalgam” as well)

**Group 1**

Strong or normal immune system: the patient is rarely ill – after the operation administer a combination of the following remedies for two weeks:

- **Dentotox 5** Composites 10 drops, 3 times a day  
(or 6 – dental porcelain)
- **Dentotox 4** Dental drainage 10 drops, 3 times a day
- **Dentotox 15** Pre-operative 10 drops, 3 times a day

## Group 2

Relatively weak immune system: occasional disorders - after the operation administer a combination of the following remedies for two weeks:

- **Dentotox 5** Composites 10 drops, 3 times a day  
(or 6 – dental porcelain)
- **Dentotox 4** Dental drainage 10 drops, 3 times a day
- **Dentotox 15** Pre-operative 10 drops, 3 times a day

## Group 3

Extremely weak immune system: chronic disorders – after the operation administer a combination of the following remedies for two weeks:

- **Dentotox 5** Composites 8 drops, 3 times a day  
(or 6 – dental porcelain)
- **Dentotox 4** Dental drainage 8 drops, 3 times a day
- **Dentotox 15** Pre-operative 8 drops, 3 times a day

## After root canal treatment

***Stage 1: Begin treatment immediately after the operation using a combination of the following remedies:***

- **Dentotox 7** Anaesthesia 15 drops, 3 times a day
- **Dentotox 13** Root canal 15 drops, 3 times a day
- **Dentotox 16** Post-operative *See the description of this remedy*

Use 30 ml bottles of all these remedies.

In this case, treatment of the patients is not dependent on an assessment of their immune system. If the patient is extremely sensitive, halve the dosage.

***Stage 2: continue with a combination of:***

- **Dentotox 13** Root canal 15 drops, 3 times a day
- **Dentotox 4** Dental drainage 15 drops, 3 times a day
- **Dentotox 16** Post-operative *See the description of this remedy*

Use 30 ml bottles of all these remedies.

In this case, treatment of the patients is not dependent on an assessment of their immune system. If the patient is extremely sensitive, halve the dosage.

## After sinus operations

Begin treatment immediately after the operation using the following remedies:

- **Dentotox 7** Anaesthesia 15 drops, 3 times a day
- **Dentotox 4** Root canal 15 drops, 3 times a day
- **Dentotox 16** Post-operative *See the description of this remedy*

Use 30 ml bottles of all these remedies.

In this case, treatment of the patients is not dependent on an assessment of their immune system. If the patient is extremely sensitive, halve the dosage.

Continue for approximately 4-8 weeks depending on the patient's situation.

## **Exposure to x-ray**

It is advisable to begin therapy before the radiological diagnostic procedure using the following treatment (2 weeks before exposure to x-ray):

A combination of:

- **Dentotox 14**                      Radiation                      15 drops, 3 times a day
- **Dentotox 8**                        Infections                      15 drops, 3 times a day

The treatment can be supplemented by administering anti-oxidants (Vitamins E and C, Betacarotene).

### **After exposure to x-ray:**

For the first week, a combination of:

- **Dentotox 14**                      Radiation                      15 drops, 6 times a day
- **Dentotox 8**                        Infections                      15 drops, 6 times a day

The treatment can be supplemented by administering anti-oxidants (Vitamins E and C, Betacarotene).

Up to the second and fourth week, a combination of:

- **Dentotox 14**                      Radiation                      15 drops, 3 times a day
- **Dentotox 8**                        Infections                      15 drops, 3 times a day

The treatment can be supplemented by administering anti-oxidants (Vitamins E and C, Betacarotene).

## ***DESCRIPTION OF THE DENTOTOX REMEDIES***

### **DENTOTOX No. 1 – Amalgam I**

#### **Indications**

Effective as a co-adjuvant for dechelation and detoxification of amalgam alloys, for toxicity from other heavy metals, and as a preparation for amalgam removal. It acts predominantly at intracellular and extracellular level. It is also effective for disorders caused by toxicity from mercury and amalgam fillings.

#### **Composition**

Isopathic dilutions for detoxification:

*Non-gamma amalgam D8, D10, D12*

*Mercury D8, D10, D12*

Homeopathic dilutions of mercury salts necessary for detoxification and drainage:

*Mercurius solubilis D8, D10, D12*

*Mercurius corrosivus D8, D10, D12*

*Mercurius Cyanatus D8, D10, D12*

*Mercurius Iodatus flavus D8, D10, D12*

*Mercurius Bijodatus D8, D10, D12*

Homeopathic dilutions for detoxification and drainage:

*Luesinum CH15, CH30* – has a crossed reaction with mercury

*Echinacea angustifolia Ø* – has a protective action against mercury and is an immunostimulant

*Passiflora incarnata Ø* - has a protective action against the formation of galvanic currents in the mouth

*Hepar sulphuris D8, D10, D12* – antidote to mercury

*Silicea D8, D10, D12* -antidote to mercury

*Argentum nitricum D8, D10, D12* - silver salt

*Aurum metallicum D8, D10, D12* – gold in homeopathic dilution

*Cortex suprarenales CH4, CH7, CH9, CH15* – protective action on the adrenal glands

*Ren CH4, CH7* – protective action on the kidneys

*Cerebrum CH4, CH7* – protective action on the brain

*Chelidonium majus D3* – drainage and protective action on the liver and kidneys

*Berberis vulgaris D3* – drainage and protective action on the liver and kidneys

## **Posology**

15 drops, 3 times a day. For specific cases see “Post-operative therapy”. Continue treatment for at least 4 weeks in combination with Dentotox 4 *Dental drainage* (same dosage: 15 drops, 3 times a day). It can be combined with Endotox 6 *Brain*, and for extremely weak kidneys, with Detox 13 *Kidneys* – both at a dosage of 15 drops, 3 times a day.

(For a description of these remedies, refer to the handbook on the Detox and Endotox range).

## **DENTOTOX NO. 2 – Amalgam II**

### **Indications**

Effective as a co-adjutant for deep dechelation and detoxification from amalgam alloys.

It is usually used for continuing treatment with DENTOTOX 1 – Amalgam I.

It acts on the cell membrane at intercellular and intranuclear level.

It prevents the formation of miasms and also acts at constitutional level (take care not to give too high or too frequent a dose, and do not administer for too long).

It is also effective in the treatment of toxicity and disorders caused by mercury and amalgam fillings and other heavy metals.

It can also be used as a preparation for amalgam removal – it should only be administered once or twice in this case.

### **Composition**

Isopathic dilutions for detoxification:

*Non-gamma amalgam D12, D15, D20, D30, D60, D100, D200*

Homeopathic dilutions of mercury salts necessary for detoxification and drainage:

*Mercurius solubilis D30, D60, D200*

*Mercurius corrosivus D30, D200*

*Mercurius Cyanatus D30, D200*

*Mercurius Iodatus flavus D30, D200*

*Mercurius Bijodatus D30, D200*

Homeopathic dilutions for detoxification and drainage:

*Luesinum CH15, D30, D200* – has a crossed reaction with mercury

*Echinacea angustifolia Ø* – has a protective action against mercury and is an immunostimulant

*Myristica sebifera D3* – protective action against mercury, immunostimulant

*Hydrastis D2* - protective action against mercury, immunostimulant

*Hypericum Ø* – regenerative action on the nervous system

*Passiflora incarnata D3* - has a protective action against the formation of galvanic currents in the mouth, and regenerative action on the nervous system

*Hepar sulphuris D12, D30* – antidote and homeosode against mercury

*Silicea D8, D10, D12, D30, D200* - antidote and homeosode against mercury

*Argentum nitricum D8, D10, D12, D200* - silver salt

*Aurum metallicum D8, D10, D12, D200* – gold in homeopathic dilution

*Cortex suprarenales CH4, CH7, CH9, CH15* – protective action on the adrenal glands

*Ren CH4, CH7* – protective action on the kidneys

*Cerebrum CH4, CH7* – protective action on the brain

*Chelidonium D3* – drainage and protective action on the liver

*Berberis D3* – drainage and protective action on the liver and kidneys

*Solidago virga aurea D3* - drainage and protective action on the kidneys

*Hieracium pilosella Ø* – drainage and protective action on the kidneys

*Lycopodium D12* – detoxification of the liver

*Phosphorus D12* – regeneration of the liver after heavy metals

### **Posology**

10 drops, twice a day.

As a continuation of Dentotox 1 – Amalgam I, use for at least 4-6 weeks in combination with Dentotox 4 *Dental drainage*: 15 drops, 3 times a day;

Endotox 6 *Brain*, 10 drops, twice a day.

In the case of renal weakness, also use: Detox 13 *Kidneys*, 15 drops, 3 times a day.

See “Post-operative therapy” as well.

## **DENTOTOX NO. 3 – Pre-amalgam**

### **Indications**

Effective as a co-adjuvant for preparation for amalgam removal or for patients who present with amalgam poisoning, but who cannot or do not wish to have their fillings removed (neutralisation and antidote).

It is also effective for treating the formation of galvanic currents in the mouth (buccal currents).

### **Composition**

Antidotes against mercury:

*Aurum metallicum D12, D30*

*Chinium arsenicosum D4, D6*

*Hepar sulphuris D9*

*Sarsaparilla D4*

*Silicea D9*

Strengthening of the immune system:

*Thuja D2* – viral and bacterial infections

*Glandulae lymphaticae CH4, CH7* – lymphatic drainage

*Ribes nigrum gemmae D1* – improves resistance to stress

*Natrium fluoratum D9* – autoimmune disorders

Effects of mercury as an antidote on the nervous system:

*Passiflora incarnata Ø* – antidote to galvanic effects

*Eschscholtzia californica Ø* – sedative effect against overstimulation of the nervous system

*Argentum nitricum D9, D12* – homeopathic protection of the nervous system

*Zincum valerianicum D6* – Sedative effective against overstimulation

*Niccolum metallicum D12, D15* – weakening of the nervous system and Pancreas

Regeneration of organs and drainage:

*Ren CH4, CH7* – kidneys

*Hepar CH4* - liver

*Glandulae suprarenales CH4* - adrenal glands

*Chelidonium D3* – hepatic drainage

*Solidago virga aurea Ø* – renal drainage

*Hieracium pilosella Ø* – renal drainage

### **Posology**

Prior to amalgam removal: 15 drops, 3 times a day in combination with Dentotox 4 Dental drainage and Dentotox 15 Pre-operative – both at a dosage of 15 drops, 3 times a day.

See section entitled “Pre-operative therapy” as well.

## **DENTOTOX NO. 4 – Dental drainage**

### **Indications**

Specific composition for renal and hepatic drainage of mercury and heavy metals. It can also be used to treat renal weakness and water retention.

It is also effective in providing the drainage required when inserting composite fillings and porcelain reconstructions.

### **Composition**

*Hieracium pilosella Ø* – renal drainage

*Solidago virga aurea Ø* – renal drainage

*Asparagus officinalis D1* – renal drainage

*Fagus sylvatica gemmae D1* – renal drainage

*Juniperus communis gemmae D1* – renal and hepatic drainage

*Scropholaria nodosa Ø* – lymphatic drainage

*Berberis D1 = Ø* – renal and hepatic drainage

*Taraxacum Ø* – renal and hepatic drainage

*Hypericum Ø* – protective and regenerative effects on the nervous system

*Passiflora incarnata Ø* – protective and regenerative effects on the nervous system

*Humulus lupulus Ø* – protective and regenerative effects on the nervous system

*Plantago major D1* – lymphatic protection against the allergenic effects of dental Porcelain



*Platinum metallicum D8* – endocrine protection  
*Calcium silico-fluoratum D8, D12* – lymphatic detoxification  
*Lycopodium D4* – renal and hepatic drainage  
*Natrium muriaticum D4, D6, D9, D12* – renal drainage  
*Ignatia D8* – protective and regenerative effects on the nervous system  
*Selenium metallicum D8, D10* - protection of cell enzymes  
*Formalinum D9, D10, D12* – antidote to porcelain  
*Kalium cyanatum D9* – antidote to porcelain  
*Manganum aceticum D6, D9, D12* - anti-allergic

### **Posology**

15 drops, 3 times a day.  
Increase the dosage to 6 times a day for clinically identified renal weakness or insufficiency, or for water retention.

### **DENTOTOX NO. 5 – Composites**

### **Indications**

Effective as a co-adjutant for dechelation and detoxification of porcelain reconstructions.  
It is also effective in the treatment of disorders caused by the insertion of porcelain reconstructions and as a preparation for the insertion of these reconstructions.

### **Composition**

Isopathic dilutions for detoxification:  
*Composites D8, D10, D12, D15, D30, D60, D100, D200*

Homeopathic dilutions for detoxification and drainage:  
*Hepar CH4, CH7* – hepatic protection  
*Vesica fellea CH4, CH7* – protection of the gall bladder  
*Juniperus communis Ø* – hepatic drainage  
*Uva ursi D1* – drainage of the kidneys and bladder  
*Hypericum Ø, D3, D6, D12* – protection of the nervous system  
*Chelidonium D2, D3, D6* – hepatic drainage  
*Solidago virga aurea D3, D6* – renal drainage  
*Fagus sylvatica gemmae D1* – renal drainage  
*Phosphorus D12* – protection of the liver  
*Berberis D1 = Ø, D3, D6* – hepatic and renal drainage  
*Arnica D2, D15, D30, D200* – preventions of damage to the ligaments  
*Petroleum D6, D9, D12, D30, D200* - crossed reaction with composites  
*Ichthyolum D12, D15* - crossed reaction with composites



## DENTOTOX NO. 7 – Anaesthesia

### Indications

As a co-adjuvant for the rapid removal of metabolites after anaesthesia.  
Also effective for reducing possible collateral effects and for desensitization from allergy to anaesthesia.

### Composition

Isopathic dilutions for detoxification:

*Nitrogen protoxide* D6, D9, D12, D15, D20, D30  
*Lidocainum muriaticum* D6, D9, D12, D15, D20, D30  
*Procainum muriaticum* D6, D9, D12, D15, D20, D30  
*Articainum muriaticum* CH4, CH6, CH9, CH12, CH15  
*Adrenalinum* CH4, CH6, CH9, CH12, CH15  
*Noradrenalinum* CH4, CH6, CH9, CH12, CH15

Homeopathic dilutions for detoxification and drainage:

*Hypericum* Ø – accelerates the detoxification of the metabolites of anaesthesia  
*Ledum* D1 = Ø – accelerates the detoxification of the metabolites of anaesthesia  
*Arnica* D1 = Ø – detoxification of metabolites of anaesthesia  
*Chamomile* D1 - detoxification of metabolites of anaesthesia  
*Bellis perennis* D1 - detoxification of metabolites of anaesthesia  
*Taraxacum* Ø - detoxification of metabolites of anaesthesia  
*Lycopodium* D3 - detoxification of metabolites of anaesthesia  
*Berberis* D1 = Ø - detoxification of metabolites of anaesthesia

### Posology

15 drops, 3 times a day  
For hepatic or renal insufficiency, 15 drops, 6 times a day.

## DENTOTOX NO. 8 – Infections

### Indications

For acute inflammations, prevention of infections, as a substitute for antibiotics; it reduces fever.  
It is also indicated for delayed traumatic reactions to intra-oral surgery.  
It is also effective for chronic inflammations and as a preventive treatment for a weakened immune system.

### Composition

*Arnica* D1 = Ø – traumas, surgical interventions and inflammations

*Arnica D3, D6, D9* – traumas, surgical interventions and inflammations  
*Bellis perennis*  $\emptyset$ , *D6* – traumas, surgical interventions and inflammations  
*Hypericum*  $\emptyset$  – traumas, surgical interventions and their effects on the nervous system  
*Ledum D3, D6, D9* – traumas, surgical interventions and inflammations  
*Chamomile D6, D9* - infections, pain, hypersensitivity  
*Pulsatilla D6, D9* – infections, pain, hypersensitivity  
*Echinacea angustifolia*  $\emptyset$  – reduces inflammation, immunostimulant  
*Echinacea purpurea*  $\emptyset$  – reduces inflammation, immunostimulant  
*Scrophularia nodosa*  $\emptyset$  – lymphatic drainage  
*Thuja D2* - lymphatic drainage  
*Belladonna D3, D4, D6, D9, D12* – antipyretic, viral and bacterial inflammations, immunostimulant  
*Aconitum D4, D6, D8* - antipyretic, viral and bacterial inflammations, immunostimulant  
*Ferrum phosphoricum D8, D12* – antipyretic, viral and bacterial inflammations  
*Antipyrinum D9* – antipyretic, viral and bacterial inflammations  
*Hepar sulphuris D10* - anti-inflammatory, immunostimulant  
*Silicea D10* – anti-inflammatory, immunostimulant  
*Baptisia D3* – anti-inflammatory, immunostimulant  
*Calcium sulphuricum D9* – anti-inflammatory, immunostimulant  
*Kalium sulphuricum D6, D9* – anti-inflammatory, immunostimulant  
*Hydrastis D2* – anti-inflammatory, immunostimulant  
*Ribes nigrum gemmae D1* – immune stimulation, lymphatic drainage  
*Berberis D1 =  $\emptyset$*  – hepatic and renal drainage

### **Posology**

15 drops, 3 times a day  
 In acute situations: 15 drops, 6-10 times a day

## **DENTOTOX NO. 9 – Gingiva**

### **Indications**

For preventive treatment and as a co-adjuvant therapy for paradontal disorders, gingivitis and for strengthening the gingiva in general.  
 It is also effective in the treatment of children with teething problems.

### **Composition**

*Chamomile D6, D9, D12* – anti-inflammatory, immunostimulant  
*Echinacea angustifolia*  $\emptyset$  – reduces inflammation, immunostimulant  
*Echinacea purpurea*  $\emptyset$  – reduces inflammation, immunostimulant  
*Scrophularia nodosa*  $\emptyset$  – lymphatic drainage  
*Thuja D2* - anti-inflammatory, immunostimulant  
*Salvia officinalis D1* - anti-inflammatory, immunostimulant  
*Aconitum D4* - anti-inflammatory, immunostimulant  
*Myristica sebifera D1 =  $\emptyset$*  - anti-inflammatory, immunostimulant  
*Ferrum phosphoricum D9* - anti-inflammatory, immunostimulant  
*Hepar sulphuris D10* - anti-inflammatory, immunostimulant







*Hieracium pilosella D2* – renal drainage  
*Fagus sylvatica gemmae D1* – renal drainage  
*Ribes nigrum gemmae D1* – stimulation of adrenal glands and lymphatic drainage

### **Posology**

Prior to the operation: 15 drops, 3 times a day. Begin 1 week beforehand.  
The weaker the patient the earlier one needs to start treatment (For further details see the section entitled: “After the operation”)  
After the operation: 15 drops, 3 times a day.  
Combine with Dentotox No. 7 *Anaesthesia* and Dentotox No. 16 *Post-operative* (both at a dosage of 15 drops, 3 times a day).

## **DENTOTOX NO. 14 – Radiation**

### **Indications**

As a co-adjutant for dechelation and detoxification from the effects of x-ray. It is also effective for patients who are at risk of neoplastic stages.  
It can also be used as a remedy against free radicals.

### **Composition**

*Citrus limonum gemmae D1* – acts on free radicals  
*Hydrangea arborescens D4* – protects the kidneys, therapy for gravel.  
*Iodium D6, D9, D12* – remedy against the absorption of radioactive iodine  
*Glandula thyroidea CH7* - protection of the thyroid  
*Phosphorus D12* - protection against degeneration and free radicals  
*Radium bromatum D12, D15, D30* - antidote to radiation  
*Aloe D2* – anti-free radicals  
*Medulla ossium CH7* – protection of medulla ossium  
*Fucus vesiculosus D1 = Ø* – has a high iodine content  
*Placenta CH7* – regenerative effect  
*Ribes nigrum gemmae D1* - stimulation of the adrenal glands and lymphatic drainage  
*Kalium phosphoricum D4* - activation of the adrenal glands  
*Chinium arsenicosum D6* - for cases of fatigue  
*Echinacea angustifolia Ø* – for immune recovery  
*Hydrastis D2* - for immune recovery  
*DNA CH7* – protective action  
*Allium sativum D2* – anti-free radicals  
*Fagus sylvatica gemmae D1* - renal drainage  
*Viscum album gemmae CH1* – for immune recovery



## **Posology**

Before the operation:

2 weeks before exposure to x-ray:

Dentotox No. 14	Radiation	15 drops, 3-6 times a day
Dentotox No. 8	Infections	15 drops, 3-6 times a day

After exposure to x-ray:

Dentotox No. 14	Radiation	10 drops, 3 times a day
Dentotox No. 8	Infections	10 drops, 3 times a day

## **DENTOTOX NO. 15 – Pre-operative**

### **Indications**

Effective for preparing the patient for traumatic situations such as: surgical interventions, root canal treatment, extensive dental operations, heavy organic situations to which patients are not accustomed.

It is also effective as a preventive treatment for patients who practice sports with prolonged caloric strain.

### **Composition**

*Arnica D3, D6, D9, D12* – treatment of traumas, sprains, surgical interventions

*Hypericum D1, D6, D9, D15* – treatment of traumas

*Calendula D1* – antiseptic, heals wounds

*Chamomile D3* – hypersensitivity to pain

*Millefolium D3* – stops blood loss

*Ledum D4* – treatment of traumas, sprains, surgical interventions

*Ruta D6* - treatment of traumas, sprains, surgical interventions

*Bellis perennis D3* – treatment of traumas, sprains, surgical interventions

*Rhus toxicodendron D12* – treatment of traumas, sprains, surgical interventions

*Symphytum D4* – bone traumas

*Citrus limonum gemmae D1* – drainage of the blood

*Belladonna D4* – anti-inflammatory

*Solidago virga aurea Ø* – renal drainage

*Hieracium pilosella D2* - renal drainage

*Fagus sylvatica gemmae D1* – renal drainage

*Ribes nigrum gemmae D1* – renal drainage

*Berberis D1 = Ø* – renal and hepatic drainage

*Taraxacum Ø* – hepatic drainage

### **Posology**

According to the state of the patient's immune system, begin 1-4 weeks prior to the intervention at a dosage of: 15 drops, 3 times a day.

## DENTOTOX NO. 16 – Post-operative

### Indications

Effective for supporting the body immediately after traumatic operations or situations such as: surgical interventions, root canal treatment, extensive dental operations, prolonged physical exertion for those not accustomed to it.  
It is also effective as a therapy for sports injuries.

### Composition

*Arnica D1 = Ø* – treatment of traumas, sprains, surgical interventions  
*Arnica D6, D9, D12, D15, D30* – treatment of traumas, sprains, surgical interventions  
*Hamamelis D1* – improves venous circulation  
*Calendula Ø* – antiseptic, heals wounds  
*Chamomile Ø* – pain therapy, sedative  
*Millefolium Ø* – bleeding  
*Ledum D3* – treatment of traumas, sprains, surgical interventions  
*Ruta D3* - treatment of traumas, sprains, surgical interventions  
*Bellis perennis Ø* – treatment of traumas, sprains, surgical interventions  
*Rhus toxicodendron D15* – treatment of traumas, sprains, surgical interventions  
*Symphytum D3* – bone traumas  
*Apis mellifica D4* – oedemas, traumas  
*Citrus limonum gemmae D1* – purification of the blood  
*Belladonna D4, D6, D9* – anti-inflammatory  
*Ginseng D1 = Ø* – activation of the adrenal glands  
*Eleutherococcus D1 = Ø* – activation of the adrenal glands  
*Scrophularia nodosa D1 25 g* – states of weakness  
*Phosphorus D10* – protection of the liver  
*Fagus sylvatica gemmae D1* – renal drainage  
*Ribes nigrum gemmae D1* - stimulation of the adrenal glands and lymphatic drainage  
*Influenzinum CH15, CH30* – strengthens the anti-viral defences and the immune system

### Posology

Immediately after the operation: for the first 2 days, 10 drops every hour  
After 5 days, 10 drops every other hour  
Second week: 15 drops, 4 times a day  
Third and fourth week: 15 drops, 3 times a day  
It is vital to deal with the trauma properly and continue treatment to allow the immune system to recover fully.

## **Bibliography**

- When Traditional Oriental or Modern Medicine Fail:  
Could Dental Amalgams be contributing to our declining health?  
F.F. Royal, American Journal of Acupuncture, Vol. 18, No. 3, 1990
  
- Drainage in Homeopathy  
Dr. E. A. Maury  
Health Science Press, Essex, England (1965)
  
- Materia Medica  
Boericke and Boeninghausen  
William Boericke M.D., B. Jain Publishers, New Delhi, India (1976)
  
- Gemmotherapy  
Publication VSM informationseries  
VSM Geneesmiddelen bv Alkmaar (1986)
  
- Detox-Endotox Handbook  
Homeopathic drainage and detoxification from Endogenous and Exogenous toxins  
Bioresearch Group N.V., Guna Editore (1993)
  
- Mercury Toxicity from dental fillings  
Joyal Taylor DDS, Scripps Publishing, San Diego, California (1988)
  
- Mercury poisoning from dental amalgam – A hazard to the Human Brain  
Stortebecker Foundation for Research (Taby/Stockholm, Sweden) (1985)