

GUNA LABORATORIES

ANTI-AGE HOMEOPATHIC MEDICINE



ANTI-AGE HOMEOPATHIC MEDICINE

TABLE OF CONTENTS

	Page
ANTI-AGE Homeopathic Medicine	6
Rational Use of Products in the ANTI-AGE Line	7
Part 1: Regulation of Biological Systems	8
ANTI-AGE IM Immunity	9
ANTI-AGE STIM Immunity	10
ANTI-AGE CELL Cell Intoxication	12
ANTI-AGE STRESS Control of the Neurovegetative System	14
ANTI-AGE MET Metabolism	16
ANTI-AGE DIM Metabolism	17
ANTI-AGE VIT Nutrition, Drainage	18
ANTI-AGE OX Nutrition, Drainage	19
Melatonin and Stress	20
Part 2: Specific Treatments	23
ANTI-AGE CRIN Hair	24
ANTI-AGE CAP Hair	25
ANTI-AGE CUT Exposure to Sunlight	26
ANTI-AGE SOL Exposure to Sunlight	27
ANTI-AGE BRONZ Exposure to Sunlight	28
ANTI-AGE VEN Exposure to Sunlight	29
ANTI-AGE DIET Excess Weight	30
ANTI-AGE FAM Excess Weight	31
ANTI-AGE DOL Pain	32
ANTI-AGE JET Travel	33
ANTI-AGE REG Sleep	34

ANTI-AGE HERP	Recurrent Mucocutaneous Infections	35
ANTI-AGE MYC	Recurrent Mucocutaneous Infections	36
ANTI-AGE SMOG	Pollution	37
ANTI-AGE VIDEO	Office Work	39
ANTI-AGE CIRC	Memory, Cerebral Circulation	40
Part 3: Facial Care		41
ANTI-AGE PEL 1	Sagging skin	42
ANTI-AGE PEL 2	Peripheral circulation	43
ANTI-AGE PEL 3	Bags under the eyes	44
ANTI-AGE PEL 4	Greasy skin	45
ANTI-AGE PEL 5	Skin reactivator	46
ANTI-AGE PEL 6	Anti-pollution	47

INDEX OF PRODUCTS

Page

ANTI-AGE BRONZ
CAP
CELL
CIRC
CRIN
CUT
DIET
DIM
DOL
FAM
HERP
IM
JET
MET
MYC
OX
PEL 1
PEL 2
PEL 3
PEL 4
PEL 5
PEL 6
REG
SMOG
SOL
STRESS
STIM
VEN
VIDEO
VIT

ANTI-AGE HOMEOPATHIC MEDICINE

The average age of the population of Western countries is constantly increasing. Future generations will therefore need to pay increasing attention to preventing the problems associated with old age, which are aggravated by factors such as pollution, excessive exposure to sunlight and the stress of everyday life.

Briefly, although human beings now enjoy a number of conditions which enable them to live longer, they also risk aging badly or prematurely. They consequently need to learn to manage their “health assets” so as to keep them in peak condition for as long as possible.

After years of research and study, Dr. Jerome Malzac has identified combinations of homeopathic remedies which combat problems of metabolism, circulation, muscle and skin sagging, lack of energy and poor memory, all of which symptoms correspond to the onset of the aging process.

The ANTI-AGE homeopathic line has been developed in accordance with this philosophy, in collaboration with Guna Laboratories, and its efficacy has been confirmed by extensive clinical trials.

The product formulation is carefully designed to eliminate all risk of side effects and contraindications.

RATIONAL USE OF PRODUCTS IN THE ANTI-AGE LINE

The correct use of the ANTI-AGE line, in the case of both treatment and prevention, leads to activation and regulation of all the mechanisms whose efficient operation prevents premature aging and improves the conditions of physiological aging.

The products in the ANTI-AGE line are therefore particularly suitable when, in the doctor's opinion, one or more of the body's systems is undergoing specific attack, and when it is wished to attenuate signs of age in the case of physiological aging.

In order to achieve the best results with the ANTI-AGE complexes, it is necessary to proceed at two levels:

1. find the weak point and the impaired functions
2. take specific action on the emerging symptoms.

In the brochure, the ANTI-AGE complexes are grouped according to these guidelines to facilitate the choice of product.

Part 1:

REGULATION OF BIOLOGICAL SYSTEMS

The mechanisms that require biological regulation, and the drugs in the ANTI-AGE line designed for this purpose, can be grouped as follows:

Immunity	AA Im AA Stim
Cell intoxication	AA Cell
Control of the neurovegetative system	AA Stress
Metabolism	AA Met AA Dim
Nutrition, drainage	AA Vit AA Ox
Regulation of biorhythms	Melatonin 4 CH

The following pages contain fact sheets about the ANTI-AGE complexes in the order shown above.

Immunity

ANTI-AGE IM

Activation of the immune system

With the increase in average human life expectancy it has been found that increasing age brings a definite reduction in the functionality of the immune system.

This loss of the perfect regulation of our system of defences enables external agents, viruses and bacteria to attack the bodies of elderly persons successfully, and initiate a series of degenerative processes.

The composition of this product is designed to reinforce the body's defences so that it can react effectively in all situations. The composition of the product is as follows:

Plant constituents	Ribes Nigrum	D6
	Rosa Canina	D6
Immunotherapeutic constituents	Interferon Alpha	4CH
Coenzymatic constituents	Ubiquinone	4CH
	Vitamin A	4CH
	Vitamin E	4CH
	Zinc	4CH
	Selenium	5CH
Organotherapeutic constituents	Arteria Suis	5CH
	Vasa Lymphatica Suis	5CH
	Thymus Suis	9CH

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Immunity

ANTI-AGE STIM

Immunological stimulation

The addition of certain constituents to the basic formulation of ANTI-AGE IM gives rise to a product that maintains the special preventive action of ANTI-AGE IM but also provides basic treatment in the case of disorders of the functionality of the immune system.

Its in-depth action is therefore not only symptomatic, but also maintains the balance of the body's general reactivity.

This product can also be used as an immunological catalyst in homotoxicological treatments to aid drainage and regressive vicariation.

Plant constituents	Rosa canina	D6
	Ribes Nigrum	D6
Immunotherapeutic, coenzymatic, hormonal and aminoacid constituents	Interferon alpha	4CH
	Vitamin A	4CH
	Interleukin 2	5CH
	GCSF	4CH/7CH
	Selenium	5CH
	Alanine	5CH
	Zincum metallicum	4CH
	Melatonin	4CH
	Thymulin	6CH
	Ubiquinone	9CH
	Glutamine	5CH
Vitamin E	9CH	
Potentised allopathics	Acidum	4CH/15CH
	Salicylicum	
Organotherapeutic constituents	Vasa lymphatica	5CH
	Arteria suis	5CH

Standard dose: 3 granules morning and evening, at least 15 minutes before meals..

Attack dose: 10 granules twice a day, morning and evening, for 2 days, to prevent seasonal viral episodes

Winter prevention: 10 granules once a week for 2 months (September and October); repeat in January and February, associating the product with 2 tablets a week of ENGYSTOL during both periods.

Cell Intoxication

ANTI-AGE CELL

Cell intoxication

This product has been studied to regulate the slow sycotisation which tends to aggravate cell intoxication processes. It has a rebalancing effect after aesthetic medicine treatments: massage, lymph drainage, liposuction, electrolipolysis, etc.

It aids the prevention of intoxication in the long term.

Plant constituents	Hamamelis	D3	<ul style="list-style-type: none"> • <i>Activation of venous circulation</i> • <i>Drainage</i>
	Vaccinium Vitis	D3	<ul style="list-style-type: none"> • <i>Activation of lymphatic circulation</i> • <i>Intestinal regulation of sycosis</i>
	Centella Asiatica	D3	<ul style="list-style-type: none"> • <i>Activation of venous circulation</i> • <i>Sub-cutaneous cell detoxification</i>
	Ananassa Sativa	D3	<ul style="list-style-type: none"> • <i>Sub-cutaneous anti-inflammatory action</i> • <i>Peripheral antisclerotic agent</i>
	Angelica Radix Sinensis	D3	<ul style="list-style-type: none"> • <i>Specific desycotising agent</i> • <i>Prevents water retention</i>
Organo-therapeutic constituents	Cutis Suis	5CH	<ul style="list-style-type: none"> • <i>Activation of dermis to improve skin elasticity</i>
	Vas Capillare Suis	7CH	<ul style="list-style-type: none"> • <i>Specific action on regulation of sub-cutaneous capillary vessels</i>
	Collagen	7CH	<ul style="list-style-type: none"> • <i>Specific skin regulation</i>
Aminoacid constituents	Leucine	4CH	<ul style="list-style-type: none"> • <i>Together, perform a specific action on muscle tone</i>
	Isoleucine	5CH	
	Valine	7CH	
Homeopathic constituents	Natrium Sulfuricum	30 CH	<ul style="list-style-type: none"> • <i>Constitutional treatment of sycosis</i>
	Natrium Muriaticum	D8	<ul style="list-style-type: none"> • <i>Drainage of sycotic patients</i> • <i>Specific detoxification of the various external sycotic agents</i>
	Thuja	15CH	
	Laminaria	5CH	<ul style="list-style-type: none"> • <i>Drainage and remineralisation</i>
	Chondrus Crispus	5CH	<ul style="list-style-type: none"> • <i>Activation of detoxification mechanisms</i>
	Ulva Lactuca	4CH	<ul style="list-style-type: none"> • <i>Specific cutaneous action</i>

Aranea Diadema	5CH	<ul style="list-style-type: none"> • <i>Painful cellulitis</i> • <i>Sensitivity to water accumulation</i>
Aranea Ixobora	8CH	<ul style="list-style-type: none"> • <i>Desycotising drainage</i>
Berberis Vulgaris	9CH	<ul style="list-style-type: none"> • <i>Insufficient diuresis</i> • <i>Hepatobiliary drainage</i> • <i>Dermatosis</i>

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Control of the Neurovegetative System

ANTI-AGE STRESS

*Control of the neurovegetative nervous system.
Stress control.*

This is the biotherapeutic response to the need for regulation of the neurovegetative system to deal with the numerous stressful episodes in everyday life.

Its action is based on regulation of digestive phenomena such as colitis, heartburn, gastritis, pyrosis and swelling. The compound increases the response of the immune system so as to combat immunodepression correlated with these symptoms, which are the source of the main autoimmune disorders.

Plant constituents	Balotta Nigra	D3	<ul style="list-style-type: none"> • <i>Neurosis</i> • <i>Distress</i>
	Citrus Aurantium	D3	<ul style="list-style-type: none"> • <i>Anxiety</i> • <i>Regulation of the neurovegetative system</i>
Organo-therapeutic constituents	Cortex Cerebralis Suis	5CH/7CH	<ul style="list-style-type: none"> • <i>Specific regulation of the central nervous system</i>
	Thalamus Suis	7CH	
	Ventriculus Suis	7CH	
	Plexus Solaris Suis	7CH	<ul style="list-style-type: none"> • <i>Specific peripheral regulation</i>
Myco-therapeutic constituents	Sporobolomyces	D8	<ul style="list-style-type: none"> • <i>Defences against infection</i>
	Griseus	D8	
	Penicillinum Notatum		<ul style="list-style-type: none"> • <i>General immune activation</i>
Immuno-therapeutic constituents	Melatonin	4CH/15CH	<ul style="list-style-type: none"> • <i>Regulation and activation of the neurovegetative system</i>
	GCSF	4CH	<ul style="list-style-type: none"> • <i>Physiological starter of activation of the immune system</i>
	Interferon Gamma	5CH	<ul style="list-style-type: none"> • <i>Antiviral defences</i>
Homeopathic constituents	Nux Vomica	5CH/7CH/ 9CH/15CH	<ul style="list-style-type: none"> • <i>The focal point of defence against stress</i> • <i>Reactivation of the body's defence mechanisms</i> • <i>Symptomatic painkilling and anti-spasmodic action</i>
	Argentum Nitricum	9CH	<ul style="list-style-type: none"> • <i>Gastritis</i> • <i>Frenetic agitation leading to stress</i> • <i>Lability of the neurovegetative system</i>

Other constituents	Kalium Carbonicum	9CH	<ul style="list-style-type: none"> • <i>Bloated stomach, general pain</i> • <i>When everything swallowed causes bloating and aerophagy</i>
	Lithium	D8	<ul style="list-style-type: none"> • <i>Calming action, useful to regenerate the reactivity of the neurovegetative system</i>
	Adrenalinum	9CH/15CH	<ul style="list-style-type: none"> • <i>Specific drainage</i>
	Acetylcysteine	4CH	
	Glutathione	4CH	<ul style="list-style-type: none"> • <i>Stimulation of protein synthesis</i>

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Metabolism

ANTI-AGE MET

Activation of all metabolic systems

The first defence deployed by the body against aging is activation of all its metabolic energies. Unfortunately, this incessant battle drains the body's strength, leading to lower systemic reactivity, partly because decoding errors are produced in the regulatory systems. Acceleration of the aging process is therefore inevitable. The formulation of this product is specifically designed and tested to enable the body to combat aging in a more effective and lasting manner. The body must maintain the perfect functioning of its metabolic waste elimination systems, its energy systems and its neurohormonal systems. For this purpose it is necessary to act at various levels:

1. General regulation	ADN	4CH
	ARN	4CH
	Dopamine	4CH
2. Energy and oxidative activation	Leucine	4CH
	Isoleucine	4CH
	Valine	4CH
	Ubiquinone	4CH
	O ₂	4CH
	Ozone	4CH
3. Maintenance of general mineralization	Schüssler salts: Calcium Fluoratum D10, Calcium Phosphoricum D10, Ferrum Phosphoricum D10, Kalium Chloratum D10, Kalium Phosphoricum D10, Kalium Sulphuricum D10, Magnesium Phosphoricum D10, Natrium Muriaticum D10, Natrium Phosphoricum D10, Natrium Sulphuricum D10, Silicea D10, Calcium Sulphuricum D10	
4. Neuro-hormonal activation	Vaccinium Vitis	D1
	Sequoia Gigantea	D1

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Metabolism

ANTI-AGE DIM

Adjuvant in slimming treatments

Designed as an adjuvant in slimming treatments and therapies. Perfectly adapts to all diets and diet supplementation. Operates by regulating lipid metabolism. Drainage, which focuses on lipolysis, activates the metabolism of patients following controlled diets. The use of ANTI-AGE DIM allows excessively strict, depressing diets to be relaxed.

Plant constituents	Rosmarinus	D1	<ul style="list-style-type: none">• <i>Liver drainage</i>• <i>General metabolic activation</i>
	Vitis vinifera	D1	<ul style="list-style-type: none">• <i>Kidney drainage</i>• <i>Activation of toxin elimination through the kidneys</i>
Enzymatic constituents	Lipase	4CH	<ul style="list-style-type: none">• <i>Specific action on the enzyme</i>• <i>Activation of lipolysis</i>
	Hyaluronidase	4CH	<ul style="list-style-type: none">• <i>Specific action on the enzyme</i>• <i>Activation of lipid metabolism</i>
Organo-therapeutic constituents	Vena Suis	5CH	<ul style="list-style-type: none">• <i>Drainage and activation of the venous system</i>
	Adeps suillus	9CH	<ul style="list-style-type: none">• <i>Specific action on adipose tissue</i>
	Placenta suis	5CH	<ul style="list-style-type: none">• <i>General metabolic stimulation</i>
Other constituents	ADN/ARN	4CH	<ul style="list-style-type: none">• <i>General reactivation</i>• <i>Metabolic and organic activation</i>
	Arginine	4CH	<ul style="list-style-type: none">• <i>Aminoacid that stimulates the Krebs cycle</i>
	Ornithine	4CH	<ul style="list-style-type: none">• <i>Metabolic activation</i>
	Lysine	7CH	<ul style="list-style-type: none">• <i>For marked activation of lipolysis and regulation of energy mechanisms</i>

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Nutrition, Drainage

ANTI-AGE VIT

General stimulation of body

Acts as a tonic and compensates for vitamin deficiencies caused by absorption problems secondary to organic intoxication (long-term allopathic treatments). Reactivating action in the event of post-traumatic and menopausal osteoporosis and osteopenia. Activation of biological processes during the growth period (children and adolescents). The composition of this product includes medicinal herbs with high vitamin concentrations to provide a vitamin intake of perfectly natural origin.

Plant constituents	Secale Cereale	D4	
	Daucus Carota	D3	• <i>Vitamin A</i>
	Secale Cereale Gemmae	D3	• <i>Vitamins in the B group</i>
	Oleum Jecoris Aselli	D6	• <i>Vitamin D</i>
	Rosa Canina	D3	• <i>Vitamin C</i>
	Linum Usitatissimum	D3	• <i>Vitamin F</i>
	Brassica Nigra	D3	• <i>Vitamin K</i>
	Vaccinium Myrtillus	D3	• <i>Bioflavonoids</i>
	Areca Catechu	D3	• <i>General stimulant</i>
Mineral constituents	The 12 Schüssler salts	D10	• <i>Systemic remineralisers</i> • <i>Activation of metabolism</i>
Hormonal constituents	Dopamine	4CH	• <i>Soil stimulant</i> • <i>Hormone reactivity activation</i>
Homeopathic constituents	Silicea	4CH	• <i>After-effects of vaccinations</i> • <i>Immunodepression. Lack of energy</i> • <i>Decalcification</i> • <i>Rickets</i> • <i>Tooth decay</i>

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Nutrition, Drainage

ANTI-AGE OX

Antioxidant. Anti-free radicals.

Activation of cell respiration.

The homeopathic composition of this product is designed to activate and regulate cell and mitochondrial oxygenation. This combats aging at its source, namely the phenomenon of oxidation. The 4CH potency of the constituents triggers a rapid, basically regulating action.

The aging body can thus remedy the errors of the past.

For this purpose it is necessary to act at various levels:

1. Local action on the circulation	Arteria Suis	5CH
	Cor Suis	5CH
	Os Suis	5CH
	Cerebrum Suis	5CH
2. Anti-oxidant action	Vitamin C	4CH
	Vitamin E	4CH
	Acidum Succinicum	4CH
	Ubiquinone	4CH
3. Stimulating action	Ozone	4CH
	O ₂	2CH
4. Action on aging mechanism	Dopamine	4CH

In the event of more serious clinical problems, the product can be associated with OMEOGAZ, administered at the dose of 3 granules, three times a day, to activate the tissue oxygenation processes more effectively.

ANTI-AGE OX should mainly be used as a basis for preventing cell aging. The purpose of ANTI-AGE OX is to regulate the mitochondrial oxygenation mechanisms, and therefore to activate cell regeneration.

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

MELATONIN AND STRESS

The central nervous system regulates hormonal activity through the pineal gland, which in turn performs this function by means of melatonin secretion.

The main function of this neurohormone is to control the circadian rhythms, namely the connection between the endocrine functions and external environmental variations: the sleep and waking patterns, the alternation of the seasons, and daily changes in light and temperature.

Alteration of the circadian rhythms causes numerous disorders, such as:

- disorders due to emotional problems, including serious forms of depression
- immune deficiency resulting from psychosomatic illnesses
- skin diseases of psychosomatic origin
- appetite problems
- immune system regulation problems (allergies, autoimmune disease)
- sleep disorders
- problems associated with puberty
- a possible cancer-inducing effect.

These disorders often have very different symptoms, but their common denominator is an imbalance between the rhythms of the body's activity and external rhythms.

The therapeutic approach must involve basic regulation of the patient's biological rhythms, and melatonin, which acts at physiological level as a hormone chronoregulator, can provide a good solution to the problem.

The administration of high concentrations of hormones is known to inhibit the activity of the corresponding secretory gland. Thus homeopathic hormones which act as regulators of glandular activity by both stimulating and slowing it are regularly used in biological medicine.

Clinical findings in the treatment of various disorders, all associated with a state of biological dysregulation, confirm the regularising effect of melatonin at the homeopathic potency of 4 CH.

Clinical indications

Melatonin 4 CH is suitable for association with biotherapeutic and homotoxicological treatments.

It is particularly useful in dealing rapidly with problems such as:

- intestinal constipation
- regulation of urinary disorders
- appetite regulation
- more relaxed sleep
- stimulation of a state of mental prostration
- disappearance of headaches associated with menstruation
- improved relations with the outside world, with a definite reduction in stress induced by work and social life.

Methods of administration

In patients suffering from stress, endogenous or exogenous depression, Melatonin 4CH should be administered at the dose of 10 drops, 3 times a day, and 10 drops at all the most difficult times of day. One month's treatment is needed to stabilise the results, which appear after just a few days' treatment.


In dietetics, Melatonin 4 CH is an effective appetite depressant for patients who need to follow a restricted diet. 10 drops before the main meals regularise bulimic crises.

In forms of neurodermitis such as psoriasis and psoriasis-like syndromes, seborrhoeic dermatitis and eczema, 10 drops should be administered twice a day for a few months.

In the case of air travel involving jet lag, 10 drops of Melatonin 4 CH should be taken several times during the flight, and continued for approximately 2 days at the dose of 10 drops, 3 times a day.

Melatonin and Anti-Age

Melatonin is a constituent of several products in the ANTI-AGE line, as shown in the chart below.



* See the booklet "Homeopathy in Sports Medicine"

Part 2:

SPECIFIC TREATMENTS

These ANTI-AGE complexes are characterised by a highly specific action, complementary to homotoxicological treatment strategies, in order to respond rapidly to the everyday problems experienced by modern men and women both at work and during their leisure time.

Hair	AA Crin AA Cap
Exposure to sun (summer, winter)	AA Cut AA Sol AA Bronz AA Ven
Excess weight	AA Diet AA Fam
Pain	AA Dol
Travel, jet-lag	AA Jet
Sleep	AA Reg
Recurrent mucocutaneous infections	AA Herp AA Myc
Pollution	AA Smog
Office work (at computer screens)	AA Video
Memory, cerebral circulation	AA Circ

Hair

ANTI-AGE CRIN

Treatment of nails and scalp

ANTI-AGE CRIN is a formula designed to treat the nails and scalp.

The ANTI-AGE CRIN formula is designed in accordance with the principles of modern biotherapy to combat decompensated psora.

Homeopathic constituents	Antimonium Crudum	9CH	• <i>For fragile nails with growth difficulties</i>
	12 Schüssler salts	D10	• <i>For general mineralisation</i>
	Silicea	D6	• <i>For general mineralization</i>
	Thuja	9CH	• <i>For excessively soft nails</i>
	Buxus	D3	• <i>Aids growth of nail capillaries</i>
Mycotherapeutic constituents	Anagallis Arvensis	4CH	• <i>Main indication: local moisturisation</i>
	Cladosporium Metanigrum	D8	• <i>Drainage of connective tissue</i>
Organo-therapeutic constituents	Collagen Suis	5CH	
	Onyx Suis	5CH	• <i>For specific organotherapeutic action</i>
Sundry constituents	ADN - ARN	4CH	• <i>For toning and metabolic and immune reactivation</i>
	Glutathione	4CH	• <i>For protein and connective tissue synthesis</i>
	Royal jelly	5CH	
	Cysteine	4CH	

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Hair

ANTI-AGE CAP

Aggression of any origin against hair and scalp

This preparation is designed to help protect the hair in iatrogenic risk situations. It is also used as a tonic in the event of excessively frequent or aggressive shampooing and frequent sea bathing. It is additionally indicated in the event of metabolic disorders associated with stress and abuse of alcohol, coffee and cigarettes. In these cases, ANTI-AGE CAP provides thorough detoxification which allows the formation of a favourable terrain for regrowth of the hair.

Plant constituents	Hamamelis	D3	• <i>Drainage and activation of the circulation</i>
	Buxus	5CH	
	Cornus Sanguinaria	D3	• <i>Blood fluidifier</i>
	Sorbus Domestica	D3	• <i>Circulation adjuvant</i>
	Ananassa Sativa	D3	• <i>Anti-inflammatory and lymph drainage action</i>
	Secale cereale	D1	• <i>Vitamin E</i>
	Rosmarinus	D1	• <i>Specific liver drainage</i>
	Oleum Jecoriis Aselli	D4	• <i>Metabolic activation</i> • <i>Vitamin D</i>
	Mineral constituents	12 Schüssler salts	D10
Hormonal constituents	Dopamine	5CH	• <i>Calming action</i>
Organo-therapeutic constituents	Cutis	5CH	• <i>Specific organic action</i>
	Vasa lymphatica	5CH	• <i>Specific systemic action</i>
	Plexus Carotideus Suis	5CH	• <i>Activation of arterial circulation</i>
	Hypophysis Suis	5CH	• <i>General hormonal regulation</i>
Homeopathic constituents	Silicea	4CH	• <i>Decalcification</i>
	Thallium Metallicum	4CH	• <i>Immunodepression</i> • <i>Alopecia of toxic origin</i>
	Rhus Tox	5CH	• <i>Hair tonic</i>
	Luffa Operculata	D6	• <i>For major hair loss</i> • <i>Action by homeopathic similarity</i> • <i>Chronic stinging inflammations of the nose and throat</i>
	Nux Vomica	7CH	• <i>Local stress regulation</i> • <i>Detoxification</i> • <i>Systemic drainage</i>

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Exposure to Sunlight

ANTI-AGE CUT

Activation of skin metabolisms

The most evident external sign of aging is loss of skin elasticity and the appearance of wrinkles, skin blotches and various blemishes.

Everyday life, involving pollution and mental and physical stress, also constitutes a constant aggression, so it is necessary to act at various levels:

1. Activation of dermis and epidermis	Cutis Suis	5CH
	Placenta Suis	5CH
	Vena Suis	5CH
	Collagen Suis	D10
2. Activation of energy metabolisms	Vitamin E	4CH
	Vitamin A	4CH
	Selenium	6CH
3. Regulation of oxygenation	Ubiquinone	5CH
4. Toning	Leucine	4CH
	Isoleucine	4CH
5. Moisturising, activation of skin elasticity, remineralisation and detoxification	Ascophyllum	4CH
	Nodosum	
	Fucus Vesiculosus	4CH
	Fucus Serratus	4CH
	Fucus Platycarpus	4CH
	Laminaria	4CH
Ulva lactuga	4CH	

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Exposure to Sunlight

ANTI-AGE SOL

Skin aging.

Dehydration caused by excessive exposure to sunlight.

Combats skin aging resulting from aggression by the sun's rays.

The harmful effects on the skin (dehydration and premature aging) obviously depend on the severity and frequency of exposure to sunlight.

Specific organotherapeutic constituents	Cutis Suis	5CH	
	Placenta Suis	5CH	
Metabolic regulation	ADN	4CH	
	ARN	4CH	
	Thymulin	9CH	
Remineralisation of stratum corneum	Platanus	D3	
	Ulva lactuga	4CH	• <i>Mineralisation</i>
	Brunella	D3	• <i>Tanning aid</i>
Regulation of return circulation and activation of toxin drainage	Belladonna	4CH	
	Arnica	4CH	
	Apis	4CH	
	Hamamelis	D3	

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Exposure to Sunlight

ANTI-AGE BRONZ

Stimulation of tanning. Prevention of dyschromia.

The product's formulation accelerates tanning, which is the most important protective factor against the sun's rays.

At the same time, the constituents of ANTI-AGE BRONZ exert an effective preventive effect against skin blemishes, especially dyschromia (mottling).

Stimulation of biochemical pathways for deposit of melanin in the epidermis	Melanin	4CH
	Somatotropin	4CH
	Phenylalanine	4CH
	Tyrosine	5CH
	Glutathione	5CH
	Cysteine	5CH
Activation of tanning	Brunella	D3
	Daucus carota	D3
	Platanus	D3
Sensitisation of skin	Secale cereale	D1
	Fagopyrum	D4
Prevention of dyschromic mottling and maintenance of mineralisation and moisturisation	Achillea Millefolium	D3
	Thuja	D3
	Monazite	D10
	Ulva lactuga	D3

The intake of ANTI-AGE SOL and ANTI-AGE BRONZ one month before exposure to sunlight, or during artificial tanning sessions, produces faster, more even tanning, and prevents the dehydration and other drawbacks of premature aging.

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Exposure to Sunlight

ANTI-AGE VEN

State of venous and lymphatic insufficiency, especially after exposure to sunlight.

Lengthy exposure to sunlight leads to the unpleasant sensation of swollen, heavy lower limbs, especially in predisposed women.

The composition of this product regulates and activates the venous and lymphatic circulation, especially if a state of circulatory insufficiency exists.

1. Specific vascular action	Arteria Suis	5CH
	Vena Suis	5CH
	Vasa Lymphatica	5CH
2. Lymph drainage	Vaccinium Vitis	D3
	Centella Asiatica	D3
	Ananassa Sativa	D3
3. Preventive action on the venous system	Hamamelis	D3
	Calcium Fluoratum	D8
	Lachesis	D10
	Aesculus	D3
	Pulsatilla	D10
4. Painful symptoms and various clinical complications	Mercurius solubilis	D10
	Ferrum metallicum	D10
	Viscum album	D3
	Arsenicum album	D12
	China rubra	D10
	Aconitum	D10
	Apis	D10
	Belladonna	D10
Arnica	D10	

Thanks to its original formulation, this compound can also be used to prevent problems of venous insufficiency, oedema caused by stasis and the “heavy leg” syndrome, associated with working activities that require an erect posture.

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Excess Weight

ANTI-AGE DIET

Psychological and metabolic support while dieting.

A product designed for rapid action during dieting, which enables the body to withstand the metabolic effort required. To be taken in association with ANTI-AGE DIM and ANTI-AGE FAM.

Water and mineral regulation. Combats damage and side effects caused by prior pharmacological treatment with amphetamines and tranquillisers.

Plant constituents	Carduus Marianus	D3	• <i>Liver drainage and activation (organic and energising)</i>
	Ulva lactuga	D3	
	Fucus Vesiculosus	D3	
	Fucus Crispus	D3	
	Laminaria	D3	
	Areca Catechu	D3	
	Agaricus Mosc. Jaborandi	D3 D3	
Organotherapeutic constituents	Thalamus Suis	9CH/15CH	• <i>Regulation of hunger centre and the compulsive desire to eat</i>
	Thyreoidinum	5CH/7CH	• <i>Thyroid activation and regulation</i>
Immunotherapeutic constituents	Melatonin	4CH/15CH	• <i>Regulation and activation of neurovegetative system</i>
Homeopathic constituents	12 Schüssler salts	D10	• <i>Remineralising action, water and mineral balance in accordance with homeopathic constitutions</i>
	Moschus	30CH	• <i>Regulation of hunger sensation</i> • <i>Activation of mechanisms which regulate overloads of the neurovegetative system</i>
	Anacardium	9CH/15CH	• <i>Stress caused by intellectual activity</i>
Potentised allopathics	Lorazepam	7CH	• <i>Combats tranquilliser abuse</i>

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Excess Weight

ANTI-AGE FAM

Neurovegetative appetite regulation.

The purpose of this product is to regulate the appetite by stabilising dysreactivity of the neurovegetative system.

Phytohomeopathic constituents	Ficus Carica	D3	<ul style="list-style-type: none">• <i>Empty-stomach sensation</i>• <i>Heartburn</i>
	Nux Vomica	7CH	<ul style="list-style-type: none">• <i>Gastric hyperacidity</i>
	Moschus	9CH/15CH	<ul style="list-style-type: none">• <i>Used to regularise the hunger impulse</i>
	Tilia	D3	<ul style="list-style-type: none">• <i>Has a calming, relaxing action</i>
Mycotherapeutic constituents	Aleurisma Lugdunensis	D8	<ul style="list-style-type: none">• <i>Regulation of the autonomous, parasympathetic and sympathetic nervous system</i>
Hormonal constituents	Dopamine	4CH	<ul style="list-style-type: none">• <i>Calming action</i>
	Melatonin	4CH	<ul style="list-style-type: none">• <i>For regulation of the neurovegetative system</i>
	Tryptophan	4CH	
Organotherapeutic constituents	Hypothalamus Suis	7CH 9CH 15CH	<ul style="list-style-type: none">• <i>Specific action on the organ, acts on the hunger centre</i>

Standard dose: 2 granules, morning and evening.

Attack treatment: 2 granules, several times a day, whenever the hunger stimulus arises.

Pain

ANTI-AGE DOL

Modulation of pain of the locomotor apparatus

Combats and regularises painful arthritic and osteoarthritic symptoms.

Regulates bone calcium metabolism and activates post-traumatic and post-menopausal recalcification (in association with ANTI-AGE VIT). Activates regeneration of cartilage, allowing the patient to endure joint pain better.

Plant constituents	Vaccinium Vitis	D3	<ul style="list-style-type: none">• <i>Hormonal activation, lymph drainage</i>
	Ananassa Sativa	D3	<ul style="list-style-type: none">• <i>Local anti-inflammatory action</i>
	Oleum Jecoris Aselli	D3	<ul style="list-style-type: none">• <i>Vitamin D</i>
Organotherapeutic constituents	Cortex Surrenalis Suis	5CH	<ul style="list-style-type: none">• <i>Activation of painkilling mechanisms</i>
	Vas Lymphaticum Suis	5CH/7CH	<ul style="list-style-type: none">• <i>Lymph drainage</i>• <i>Antisclerotic action</i>• <i>Revitalising action</i>
	Thymulin	6CH	<ul style="list-style-type: none">• <i>Stimulation of immune system</i>
	Cartilago Suis	5CH	<ul style="list-style-type: none">• <i>Specific tissue action</i>
	Os Suis	5CH	<ul style="list-style-type: none">• <i>Specific tissue action</i>
	Synovia Suis	5CH	<ul style="list-style-type: none">• <i>Specific tissue action</i>
General regulation	ADN/ARN	4CH	<ul style="list-style-type: none">• <i>Osteoarthritis and rheumatic disorders with involvement of the immune system</i>• <i>Cyclothymia, asthenia</i>
Homeopathic constituents	Arnica	5CH	<ul style="list-style-type: none">• <i>Trauma, pain</i>
	Rhus Tox	5CH	<ul style="list-style-type: none">• <i>Pain</i>
	Bryonia	5CH	<ul style="list-style-type: none">• <i>Pain</i>

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Travel

ANTI-AGE JET

Travel sickness. Jet-lag syndrome.

Effectively combats the major and minor problems of travel sickness (air, sea and car travel). Rapid, effective regulation of hyperexcitability of the neurovegetative system when subjected to the discomfort of travel.

Organotherapeutic constituents	Thalamus Suis	7CH	• <i>Specific action on the organ</i>
	Plexus Solaris Suis	7CH/9CH	
	Oreille Interne Suis	5CH	
Mycotherapeutic constituents	Sterigmatocystis	D8	• <i>Regularisation of hyperactivity of the neurovegetative system</i> • <i>Specific effect on hyperexcitability</i>
	Nigra		
	Aleurisma	D8	
	Lugdunensis	9CH	
Homeopathic constituents	Symphoricarpus		• <i>Calms distress, panic, fear, anxiety and worry</i> • <i>Symptomatic action on the neurovegetative system</i> • <i>Rapid, synergic, symptomatic regulation of stomach reactivity</i> • <i>Rebalance of stress</i> • <i>Prevents vomiting</i> • <i>Regulation of neurovegetative system</i>
	Gelsenium	9CH/15CH	
	Tabacum	5CH/9CH	
	Cocculus	5CH	
	Nux Vomica	5CH/9CH/15CH	
	Apomorphinum	9CH	
	Melatonin	4CH	

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Sleep

ANTI-AGE REG

Sleep regulation.

Gradually aids better rest and regularises sleep and dreams during the treatment.

Plant constituents	Crataegus	D1	<ul style="list-style-type: none">• <i>Anxiety at start of night</i>• <i>Acts during slow phase of sleep</i>• <i>Neurotic dreams</i>• <i>Anxious dreams, intellectual fatigue</i>• <i>Anti-spasmodic, acts on the limbic system</i>• <i>Specific action on dreams</i>• <i>Night tranquilliser</i>
	Ballotta Nigra	D3	
	Escholtzia	D3	
	Lavandula	D1	
	Melilotus	D1	
	Citrus Aurantium	D3	
Organotherapeutic constituents	Cortex Cerebralis Suis	7CH	<ul style="list-style-type: none">• <i>Regulation of cerebral activity</i>
	Hippocampus Suis	5CH	<ul style="list-style-type: none">• <i>Regulation of cerebral activity</i>
	Epiphysis Suis	5CH	<ul style="list-style-type: none">• <i>Behaviour regulation</i>
General regulation	Melatonin	4CH/15CH	<ul style="list-style-type: none">• <i>Specific neurohormonal regulation</i>
	Serotonin	7CH/15CH	
	GABA	4CH	
	Adrenalinum	30CH	

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Recurrent Mucocutaneous Infections

ANTI-AGE HERP

Cold sores

A compound which rapidly resolves the symptoms of herpes infections and reduces the frequency of relapses. The purpose of this product can be described as “active prevention”.

Plant constituents	Buxus	D3	• <i>Drainage of oral mucosa</i>
	Taraxacum	D3	• <i>Complementary liver drainage</i>
Nosode constituents	Herpes Nosode	9CH/15CH /30CH	• <i>Curative and desensitising action</i>
Organo-therapeutic constituents	Mucosa Oris Suis	5CH	• <i>Local drainage</i> • <i>Activation of local reactivity of immune system</i>
Mycotherapeutic constituents	Penicillinum Caseicolum	D8	• <i>Antiherpes action</i>
	Cladosporium Metanigrum	D8	
Immuno-therapeutic constituents	Interferon Gamma	5CH	• <i>Antiviral action</i>
	Interleukin 6	5CH	• <i>Cytokines associated with acute immune aggression for rapid reactivation of the cytokine network</i>
	Interleukin 1		
Homeopathic constituents (specific synergic symptomatic action)	Borax	5CH	• <i>Mouth ulcers (aphtha)</i>
	Acidum Muriaticum	5CH	• <i>Aphtha, eczema</i>
	Rhus Toxicodendron	9CH	• <i>Herpes infections, tendency to suppuration</i>
	Belladonna	5CH	• <i>Local irritation</i>

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Recurrent Mucocutaneous Infections

ANTI-AGE MYC

Athlete's foot.

A compound with an antifungal action designed to prevent and eliminate problems deriving from aggression to the skin by fungi, especially in summer (beaches, swimming pools, etc.).

Plant constituents	Juglans Regia	D3	<ul style="list-style-type: none"> • <i>Pancreas drainage</i> • <i>Drainage of digestive function</i>
	Rosmarinus	D3	
	Ulva Lactuca	D3	<ul style="list-style-type: none"> • <i>Skin moisturising and mineral balance</i>
	Propolis	D1	<ul style="list-style-type: none"> • <i>Liver activation</i>
Organo-therapeutic constituents	Cutis Suis	5CH	<ul style="list-style-type: none"> • <i>Specific organ draining action</i> • <i>Symptomatic regulation of the immune system</i>
Immuno-therapeutic constituents	GCSF	4CH	<ul style="list-style-type: none"> • <i>Physiological starter of the immune system</i>
	Interleukin 4	4CH	<ul style="list-style-type: none"> • <i>Specific immune system defences</i>
	Melatonin	4CH/7CH	<ul style="list-style-type: none"> • <i>Activation and regulation of neurovegetative system</i>
	Tryptophan	4CH	
Mycotherapeutic constituents	Candida Albicans	D8	<ul style="list-style-type: none"> • <i>Specific desensitising action</i>
	Saccharomyces Apiculata	D8	
	Pityrosporum Orbiculata	D8	
	Penicillium Notatum	D8	
	Streptomyces Griseus	D8	
Homeopathic constituents	Ammi Visnaga	4CH	<ul style="list-style-type: none"> • <i>Specific action on the skin</i>
	Silicea	15CH	<ul style="list-style-type: none"> • <i>Stimulation of the immune system</i>
	Arsenicum Album	9CH	<ul style="list-style-type: none"> • <i>General skin drainage, desensitisation</i>

It is advisable to add ANTI-AGE MYC to the ANTI-AGE SOL and ANTI-AGE BRONZ treatment regimen (see corresponding fact sheets) with a local action to combat dyschromia, which is always a risk during exposure to sunlight.

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Pollution

ANTI-AGE SMOG

Organic damage caused by pollution.

Combats and detoxifies the body which suffers daily stress caused by pollution.

Mainly designed to alleviate damage caused by emissions of hydrocarbons, lead, aluminium, fluorine and the main heavy metals. ANTI-AGE SMOG induces general activation of the liver and kidney detoxification systems, and regulates the functionality of the immune system to make the body react against chronic inflammation caused by pollution factors.

Plant constituents	Rosmarinus	D3	<ul style="list-style-type: none"> • <i>Liver drainage by the energetic and organic route</i> • <i>Kidney drainage</i>
	Carduus Marianus	D3	
	Berberis Aquifolium	D3	
Sundry constituents	Thymulin	6CH	<ul style="list-style-type: none"> • <i>Stimulation of the immune system</i> • <i>Activation of organic reactivity</i> • <i>Anti-sclerosis action</i> • <i>Anti-radical reactivity</i> • <i>Rebalance of the digestive secretions and activation of pancreatic-duodenal digestion</i>
	ADN/ARN	4CH/7CH/9CH	
	Polyvalent Peptone	4CH	
Organo-therapeutic constituents	Collagen Suis	D10	<ul style="list-style-type: none"> • <i>Drainage of ground substance</i> • <i>Specific organic activation, drainage and activation of the immune system</i>
	Hepar Suis	5CH	
	Pancreas Suis	5CH	
	Ren Suis	5CH	
	Cutis Suis	5CH	
Mycotherapeutic constituents	Cladosporium	D8	<ul style="list-style-type: none"> • <i>Drainage of connective tissue</i> • <i>Drainage of ground substance</i>
	Metanigrum		
Homeopathic constituents (from toxins)	Benzopyrene	15CH	<ul style="list-style-type: none"> • <i>Drainage after intoxication by aromatic hydrocarbons</i> • <i>Clinical lead detoxification</i> • <i>Sensitisation to heavy metal detoxification</i>
	Benzene	D8/D10/D20	
	Acidum Benzoicum	15CH	
	Petroleum	9CH	
	Ac. Fluoricum	15CH	
	Plumbum Met.	D6/D10/D20	

	Alluminium Oxydatum	9CH	<ul style="list-style-type: none"> • <i>Reactivates elimination of organic impregnation by compounds in which aluminium, transformed into oxidised form, is particularly dangerous</i>
	Fluorite	D10	<ul style="list-style-type: none"> • <i>Reactivation of fluorine compound elimination mechanisms</i>
	Mazout (fuel oil)	9CH	<ul style="list-style-type: none"> • <i>Specific detoxification from long-chain hydrocarbon emissions</i>
Immuno- therapeutic constituents	GCSF	4CH/7CH	<ul style="list-style-type: none"> • <i>Activation of general reactivity of the immune system</i> • <i>Physiological starter of defensive reactions</i>
	Interleukin 2	5CH	<ul style="list-style-type: none"> • <i>Regulation of inflammatory processes</i> • <i>Activation of immune response at acute stages</i>

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Office Work

ANTI-AGE VIDEO

Eye fatigue caused by exposure to computer and television screens.

A compound specifically designed to combat eye fatigue in people who work with computers.

It is also recommended for children who abuse videogames.

Plant constituents	Chamomilla Matricaria	D3	<ul style="list-style-type: none">• <i>Specific calming action</i>• <i>Stimulating, energising, anti-fatigue action</i>
	Eleutherococcus	D3	
Organo-therapeutic constituents	Musculus Oculi Suis	7CH	<ul style="list-style-type: none">• <i>Organ-specific action, local desensitisation</i>
	Retina Suis	5CH	
	Splen Suis	5CH/7CH	
Immuno-therapeutic constituents	Melatonin	4CH/15CH	<ul style="list-style-type: none">• <i>Regulation and activation of the neurovegetative system</i>• <i>Neurotrophic regulating action</i>
	NGF	5CH	
Homeopathic constituents	Euphrasia	7CH	<ul style="list-style-type: none">• <i>Eye irritation</i>• <i>Eye fatigue, visual stress</i>• <i>Irritation due to external influences</i>• <i>Anti-stress, anti-catabolic action</i>• <i>Anti-spasmodic</i>
	Onosmodium	9CH	
	Ruta	9CH	
	Natrium Muriaticum	5CH	
	Nux Vomica	15CH	
Mycotherapeutic constituents	Cuprum	4CH	<ul style="list-style-type: none">• <i>Drainage of vitreous humour</i>
	Cladosporium	D8	
	Metanigrum		

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Memory, Cerebral Circulation

ANTI-AGE CIRC

Activation of cerebral circulation

Memory, mental activity and full efficiency at work are among the most important factors in maintaining a gratifying social life.

As society is aging, people need to work usefully for as long as possible. Brain activity must therefore be preserved, and our mental computer must continue to work efficiently.

It is therefore important to stimulate valuable regulation of the cerebral circulation in order to nourish the brain correctly. This requires action at various levels:

1. Activation of the cerebral system	Cerebrum Totalis Suis	5CH
	Arteria Cerebralis Suis	5CH
	Zona Libica Suis	7CH
	Hyppocampus Suis	5CH
2. Regulation of circulation	Sorbus Domestica	D6
	Ruscus Aculeatus	D6
	Cornus Sanguinaria	D6
	Chondrus Crispus	4CH
3. Activation of oxygenation	Ubiquinone	4CH
	Dopamine	4CH
	Selenium	4CH

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Part 3:

FACIAL CARE

One of the main objectives of aesthetic medicine is to enhance the facial appearance. The face is the tip of the iceberg, and the desire to improve it sometimes leads to the performance of beauty treatments which are harmful to the health. Doctors who consider it important to act biologically on the face, which acts as the “interface” for social relations, can use six specific complexes called ANTI-AGE PEL, which are designed in accordance with the Anti-Age methodology.

In facial treatment, other products in the ANTI-AGE line complement the ANTI-AGE PEL products. The table below summarises the indications for the ANTI-AGE PEL products and the most appropriate associations.

INDICATIONS	SPECIFIC COMPLEX	COMPLEMENTARY TREATMENTS
Sagging skin	ANTI-AGE PEL 1	AA Cut AA Ox
Peripheral circulation	ANTI-AGE PEL 2	AA Sol AA Ven
Bags under the eyes	ANTI-AGE PEL 3	AA Cel AA REG AA JET AA Video
Greasy skin, predisposition to acne	ANTI-AGE PEL 4	AA Stim (inflammation) AA Cel (drainage)
Dull skin	ANTI-AGE PEL 5	AA Stress AA OX AA VIDEO AA VIT
Damage caused by environmental pollution	ANTI-AGE PEL 6	AA Smog AA Stress

Facial care

ANTI-AGE PEL 1

Sagging skin. Facial toning.

Activates facial toning and combats sagging skin.

Plant constituents	Ulva Lactuca	D3	• <i>Remineralising action</i>
	Fucus Crispus	D3	• <i>Toning action</i>
	Fucus Vesiculosus	D3	• <i>Maintenance of water and mineral balance</i>
Trace elements	Laminaria	4CH	• <i>Skin moisturising</i>
	Selenium Metallicum	5CH	• <i>Anti-radical action on skin</i>
	Germanium Metallicum	5CH	• <i>Toning and metabolic activation</i>
	Cobalt	D8	• <i>Skin toning and activation of skin reactivity</i>
	Copper gluconate	D8	• <i>Anti-wrinkle action</i>
	Manganese gluconate	D8	• <i>Essential trace element for the skin</i>
	Monazite	D10	
Organo-therapeutic constituents	Cutis Suis	4CH	• <i>Specific action on the organ</i>
	Collagen Suis	4CH	• <i>Reactivation of skin elasticity, aids connective tissue repair</i>
Immuno-therapeutic constituents	Interleukin 1	5CH	• <i>Activation of interleukin cascade in inflammation, reactivation of skin in the event of acute aggression</i>
	ADN/ARN	4CH	• <i>Activation of antioxidation mechanisms, general reactivation of body</i>

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Facial care

ANTI-AGE PEL 2

Alteration of the venous and capillary circulation of the face.

Combats problems of venous and capillary circulation of the face.

For regulation of local erythema and drainage of the facial microcirculation.

Soothes local skin irritation (to be associated in summer with ANTI-AGE SOL and ANTI-AGE BRONZ).

Plant constituents	Carduus Marianus	D3	<ul style="list-style-type: none">• <i>Liver regulation and activation</i>• <i>Kidney drainage, drainage of oedematous areas</i>
	Vitis Vinifera	D3	
	Hedera Helix	4CH	
Organo-therapeutic constituents	Cutis Suis	5CH	<ul style="list-style-type: none">• <i>Specific action on organ</i>
	Capillary Tissue Suis	5CH	
	Collagen Suis	5CH	
Immuno-therapeutic constituents	Erythropoietin	4CH	<ul style="list-style-type: none">• <i>Regulation of local vascular congestion</i>
Homeopathic constituents	Hamamelis	4CH	<ul style="list-style-type: none">• <i>Regulation of local circulation, anticongestant</i>
	Arnica	4CH	
	Vipera Redi	4CH	
	Apis	4CH	<ul style="list-style-type: none">• <i>Decongestant</i>• <i>Activation of blood fluidification</i>• <i>Regulation of local capillary congestion</i>• <i>Kidney drainage</i>• <i>Anti-oedematous action</i>
	Berberis	4CH	
	Capsicum	5CH/7CH/9CH	

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Facial care

ANTI-AGE PEL 3

Bags under the eyes.

To reduce bags under the eyes.

Plant constituents	Hamamelis	D3	<ul style="list-style-type: none">• <i>Activation of local venous circulation</i>
	Vaccinum Vitis	D3	<ul style="list-style-type: none">• <i>Lymph drainage</i>
	Vitis Vinifera	D3	<ul style="list-style-type: none">• <i>Kidney drainage</i>
	Ginseng	D3	<ul style="list-style-type: none">• <i>General anti-fatigue tonic</i>
Organo-therapeutic constituents	Collagen Suis	5CH	<ul style="list-style-type: none">• <i>Specific action on the organ</i>
	Cutis Suis	5CH	
Immuno-therapeutic constituents	Melatonin	4CH	<ul style="list-style-type: none">• <i>Regulation of neurovegetative system and anti-stress action</i>
Homeopathic constituents	Berberis	4CH	<ul style="list-style-type: none">• <i>Drainage and activation of kidney detoxification</i>
	Sepia	9CH	<ul style="list-style-type: none">• <i>Decongestant</i>
	Carbo Vegetabilis	9CH	<ul style="list-style-type: none">• <i>Anti-oedematous action</i>

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Facial care

ANTI-AGE PEL 4

Dull facial skin. Predisposition to acne.

Acts on dull skin.

When the skin looks dirty, with large granulations, and there is a predisposition to acne.

Plant constituents	Rosmarinus	D3	• <i>Liver drainage</i>
	Secale Cerealis	D3	
Organo-therapeutic constituents	Collagen Suis	5CH	• <i>Specific action on the organ</i>
	Cutis Suis	5CH	
Immuno-therapeutic constituents	Interleukin 1	5CH	• <i>Activation of skin defences, general anti-inflammatory action</i> • <i>Energising and toning of local muscles</i>
	Leucine	4CH	
Homeopathic constituents	Arnica	5CH	• <i>Anti-inflammatory action</i> • <i>Dull skin, tendency to acne</i> • <i>General detoxifying and metabolic skin toning action</i>
	Belladonna	9CH	
	Hepar Sulfur	30CH	
	Eugenia Jambosa	5CH	
	Nux Vomica	5CH	

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Facial Care

ANTI-AGE PEL 5

Signs of facial fatigue due to stress and a disorderly lifestyle.

Reactivates the facial skin and increases skin gloss.

Combats the effects on the face of fatigue due to stress and a disorderly lifestyle.

Plant constituents	Eleutherococcus	D3	<ul style="list-style-type: none">• <i>Energising, reactivating and toning action</i>• <i>Activation and regulation of local venous circulation</i>• <i>Reactivation of energy transport mechanisms, hyperoxygenation</i>
	Hamamelis	D3	
	Ginseng	D3	
Organo-therapeutic constituents	Collagen Suis	5CH	<ul style="list-style-type: none">• <i>Specific organ drainage</i>
	Cutis Suis	5CH	
Homeopathic constituents	Valine	9CH	<ul style="list-style-type: none">• <i>Activation of elastic tissue</i>• <i>Combats damage caused by chronic inflammation of elastin fibres</i>
	Isoleucine	4CH	
	Leucine	4CH	
	Proline	4CH	<ul style="list-style-type: none">• <i>Specific anti-radical revitalising action</i>
	Germanium Metallicum	5CH	
Immuno-therapeutic constituents	Interleukin 1	5CH	<ul style="list-style-type: none">• <i>Anti-inflammatory action</i>

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.

Facial Care

ANTI-AGE PEL 6

Protects the facial skin against pollutants.

Protects facial skin which is subjected to everyday stress and environmental pollution (atmospheric or domestic).

Immuno-therapeutic constituents	Melatonin	4CH	<ul style="list-style-type: none"> • <i>Regulation of neurovegetative system</i> • <i>Activation of rebalancing capacity (circadian rhythm)</i>
	Interleukin 4	5CH	<ul style="list-style-type: none"> • <i>Inflammatory action, especially in chronic sclerotisation processes</i>
	GCSF	4CH	<ul style="list-style-type: none"> • <i>Physiological starter of reactivation of immune system</i>
Organo-therapeutic constituents	Collagen Suis	5CH	<ul style="list-style-type: none"> • <i>Specific action on the organ</i>
	Cutis Suis	5CH	
Homeopathic constituents	Oxigenum	4CH	<ul style="list-style-type: none"> • <i>Anti-radical and hyperoxygenating action</i>
	Ubiquinone	4CH	
	Vitamin C	4CH	
	Vitamin E	4CH	
	Dopamine	4CH	<ul style="list-style-type: none"> • <i>General regulation of the body's defences</i>
	Ozone	4CH	<ul style="list-style-type: none"> • <i>Anti-radical action, metabolic activation</i>
	ADN	4CH/7CH/9CH	<ul style="list-style-type: none"> • <i>Activation of local organic reactivity</i>
	ARN	4CH/7CH/9CH	<ul style="list-style-type: none"> • <i>Anti-sclerotic action</i>
	Leucine	4CH	<ul style="list-style-type: none"> • <i>Local muscle toning</i>
	Ginseng	4CH	<ul style="list-style-type: none"> • <i>General energising action</i> • <i>Increase in organic reactivity</i>
	AMPc	4CH/7CH/9CH	<ul style="list-style-type: none"> • <i>Regulation of metabolic pathways</i>
	Histaminum	12CH	<ul style="list-style-type: none"> • <i>Regulation of local sensitisation phenomena</i>
	Plumbum	30CH	<ul style="list-style-type: none"> • <i>Specific detoxification from the main pollutant factors, heavy metals and hydrocarbons</i>
	Mazout (fuel oil)	30CH	
Acidum Succinicum	4CH	<ul style="list-style-type: none"> • <i>Regulation of metabolism; aids peripheral energy intake</i> 	

Standard dose: 3 granules morning and evening, at least 15 minutes before meals.